



# **STATE BANK OF INDIA**

## **THIRUVANANTHAPURAM CIRCLE**

### **TENDER NOTICE**

INVITES TENDERS FOR

**ELECTRICAL SAFETY AUDIT FOR OFFICES/BRANCHES UNDER SBI  
ADMINISTRATIVE OFFICE , KOLLAM**

**Last date for submission of Tender: 3.00 P.M. (IST) on  
30.09.2023**

**Opening of Technical bid: 03:30 P.M. (IST) on  
30.09.2023**

NIT NO. THI/AO KLM/SA/2023-24/001

**The Deputy General Manager (B & O)  
State Bank of India  
Administrative office  
SBI Bhavan  
Near Railway Station, Kollam - 691001**

## NOTICE INVITING TENDER

Tenders are invited from empanelled Electrical Auditors with SBI circle Office, Thiruvananthapuram, for conducting Electrical Safety Audit of Branches/Offices under SBI Administrative Office, Kollam (Kollam and Pathanamthitta Districts). All Empaneled Electrical Auditors can apply for Category X & Category Y. For Category Z, only Empaneled Electrical Auditor with accreditation for Energy Auditing shall be eligible. Proof for the same shall be enclosed along with Technical Bid

1	Validity of Tender	6 Months from the last date of opening of tenders.
2	Time of Completion:	45 DAYS.
3	Date of download of tender documents from Bank's web site <a href="http://www.sbi.co.in">http://www.sbi.co.in</a> under "procurement news".	From 20.09.2023 to 30.09.2023
4	Last date and time for submission of tender.	Date 30.09.2023 by 3:00 P.M.
7	Tender to be submitted at:	<p>Technical bid (in cover - 1) and Price Bid (Cover-II) should be submitted to</p> <p><b>The Deputy General Manager (B &amp; O)</b>  <b>State Bank of India</b>  <b>Administrative Office,</b>  <b>SBI Bhavan,</b>  <b>Near Railway Station, Kollam - 691001</b></p> <p>on or before 3.00 PM on 30.09.2023</p>
8	Date and Time of opening Tenders: (Technical Bid )	Date: 30.09.2023 at 3:30 P.M. (IST) at above office address. Representatives of Bidder may be present during opening of Technical Bids. However Bids would be opened even in the absence of any or all the bidder's representatives. In any cases the concerned Bank officers are not present ,the tender will be opened on a next convenient date.
9	Date and Time of opening Tenders: (Price bid)	Price bids (to be submitted in Cover – II) of technically qualified vendors will be opened on a later date after technical bid scrutiny .

9	Bidder Contact Details.	Bidder to provide following information. 1) Name of Company. 2) Contact Person. 3) Mailing address with Pin Code. 4) Telephone number and Fax number. 5) Mobile Number and E-MAIL.
10	Payments	No Advance payment. Will be released on successful completion of the Electrical Safety Audit and submission of satisfactory reports.
11	For any clarifications contact	Manager (Electrical Engg.) , SBI AO Kottayam Mob: 9447556127

- The SBI reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever.
- Vendors must mention and quote separately for each category for which they wish to apply. Any body who are not technically eligible for Z category and in any case mention their offer for Z category .Their offer will not consider for the aforesaid category irrespective of rates quoted by them
- SBI is not responsible for the late receipt due to postal delay, strikes or any other reasons. The incomplete tenders is liable to be rejected summarily and Bank reserves the right to accept or reject any or all tenders without assigning any reasons.
- Electrical Auditor must complete the safety audit as per the L1 rate during the 45 days time duration.
- The Auditor requires to furnish their GST no if applicable.

Sd/-

### **DEPUTY GENERAL MANAGER (B&O)**

**Note :** This tender is an offline tender. There is no online price bid submission for this tender. Tenderers are requested to submit the tender in two bid system (Technical & Price Bid)

**Cover 1 : Technical Bid :** first 24 pages of tender document duly signed along with the required enclosures as mentioned in the tender document and sealed & super scribed with "Cover-1 Technical Bid for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"

**Cover 2 : Price bid:** Last 2 pages (Pg.No.25& 26) of the tender document duly filled, signed and sealed & super scribed with "Cover-2 Price Bid for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"

**Cover 3 :** Containing Cover 1 & 2 super scribed with "Tender for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"

## TERMS AND CONDITIONS

1. The number of branches mentioned below is tentative.
  2. After rate standardization, the lowest rates will be advised to RBOs by SBI Administrative office, Kollam and work orders will be issued from the respective RBOs as per the tender terms and conditions
  3. Successful vendors should be prepared to execute the Electrical audit at the agreed rates as and when orders are placed during the validity period of the tender.
  4. The tender rates shall be valid for a period of 6 months from the date of opening of the tenders.
  5. All pages of the tender document shall be signed by authorized signatory and stamped.
  6. All corrections shall be duly signed and stamped. Bids received after the above date/time will not be considered.
  7. SBI reserves the right to reject the offer without assigning reason or whatsoever.
- SBI reserves the right to distribute and execute the work at the L1 rate through the L2, L3 & L4 vendors upon their willingness. The ratio of work distribution among L1, L2, L3, L4 vendors are in the ratio 50:25:15:10 if necessary. The distribution ratio may be suitably modified if any of the L2, L3, L4 vendor not shown their willingness to execute the work at L1 rate.
8. **Please enclose the list of technical staff with contact addresses, telephone numbers and those staff members should be qualified enough to conduct safety / energy audit as per the empanelment done by Bank for the mentioned work. Staffs without proper qualification will not be allowed to conduct safety audit.**
  9. Conditional tenders are not acceptable.
  10. The Electrical safety auditor or firm must arrange for the conveyance, lodging expenses, men and material required for conducting the safety audit at their cost.
  11. Adequate care should be taken by the electrical auditor during the verification, measuring and recording of the data.
  12. Any damage to the Bank's property, equipment's under testing and measurement during the electrical fire safety audit will be charged to the firm.

13. Bank is not responsible for accidental injury of any of the operating personnel involving in the audit procedure. Personnel should be well trained and should have adequate Knowledge in electrical safety aspects and handling of electrical equipment's. Auditors shall take necessary insurance before starting the audit by own .Bank will not liable for any incident happened due to mishandling of live equipment

14. All the rates quoted against each category as per the Price bid format in Annexure C must include Conveyance, Lodging expenditure required for men and material. GST will be paid extra as per the actual.

15. The Electrical auditor must submit the copies of audit reports each to the respective Branch, Regional Managers (RBOs in Kollam/Kottarakkara/Thiruvalla/Pathanamthitta),Chief Manager (HR and Admn:) Administrative Office, Kollam), and Assistant General Manager(P&E ) SBI LHO Thiruvananthapuram.

16. After the completion of Electrical Audit, the visit and Electrical Audit report with copy of electricity bill and Photo graphs of main installations pertaining to that office/branch with the acknowledgement of the Branch official, Invoice shall be submitted to the SBI AO Kollam for forwarding to respective Regional Office of SBI for the payment.

17. The copy of the contact number, ID card and authorization letter of the auditing person(s) must be submitted to CM (HR and Admn:) SBI,AO Kollam/AGM (P&E) Thiruvananthapuram well in advance for necessary co-ordination. Shut down required if any may be intimated to branch in advance. The auditors visiting the branch shall be honest and good behaved.

18. Payment will be made at respective Branches/Regional Offices after successful completion and submission of Electrical safety audit reports duly acknowledged by the branch in complete form along with the proof such as photographs of the audited premises during course of the work as detailed in point 15 &16. No advance is payable .

19. Over writing should be avoided and all corrections should be duly signed.

20. No inconvenience should be caused to staff/customer during working hours.

21. SBI reserves the right to allocate any region or branch as per their requirement of SBI Administrative Office, Kollam to the Empanelled Auditors at the L1 rate.

22. SBI reserves the right to cancel the work order issued to the Safety Auditor at any stage in the event of failure of Non response, Non commitment and Non completion of the assigned task as per tender terms and conditions.

23. The Electrical Auditor must submit the soft copy of the report to [agmpre.lhotri@sbi.co.in](mailto:agmpre.lhotri@sbi.co.in) and hard copy to Electrical Engineer at SBI Local head

office, Thiruvananthapuram and a consolidated sheet containing major details of report to Electrical Engineer of AO Kottayam (in charge Kollam AO)

24. Upon the non-successful submission of report in required format in five copies as detailed in point 15 SBI reserves the right to reduce the fees payable to the vendor .

25. If the SBI observes that the Auditor has not completed the task upto its satisfaction, SBI reserves the right to ask for re-auditing the premises without any additional payment.

26. Time allowed for completion after the allotment of Branches is 60 days from the day of issue of Work order. Time is the essence of the Contract. Delay will be penalized suitably @1/2 % per week of delay.

Date:  
Place:

Accepted/Not accepted  
Applicant's Signature and stamp

## **SCOPE OF WORK FOR ELECTRICAL SAFETY AUDIT**

- a. Physical inspection of the Bank premises with reference to applicable Indian standards, Indian Electricity Rules and other relevant codes of Practice & identifying electrical fire hazards (shocks, fires, etc.) also as per Kerala Electrical Inspectorate and KSEB Ltd Guidelines.
- b. Review of protection devices such as MCCB/MCB/ELCB system of the electrical installation and whether the performance is satisfactory or not.
- c. Review of adequacy of Wires/Cable sizes based on actual load current measurements, Insulation resistance, tightness of terminations.
- d. Review of electrical accidents to identify root cause of the accidents, if happened any, review the EPM (Electrical Preventive Maintenance) program if any, in the Bank Premises to suggest recommendations as per applicable standards.
- e. To evaluate the earthing system (installation and maintenance) in the plant based on IS 3043 and to suggest recommendations including the measurement of Earth resistance.
- f. Check for any loose contacts at the mains switches, DB, Switch boards etc after opening the same.
- g. Inspection of UPS and batteries for its adequacy in the capacity for the load requirement of the branch.
- h. Reliability of the electrical distribution system with the equipment's like air conditioners, UPS's, Generators etc. Checking whether the AMC of these items are in place.
- i. Evaluating whether the demand load is within the sanctioned load with proper load balancing. j. Verification of the operation of system room Air conditioners with timer mechanism.
- k. Report must consist of your Observations on account of the Electrical fire safety and various Measures suggesting for the improvement of the safety existing systems.
- l. Preparation of Safety audit report within the completion period with non-scale layout of the branch including denomination of the areas used by you for auditing. Report must consist of the single line diagram of existing electrical system including marking the position of critical faults needing immediate attention.

m. Review of the Existing condition of the HT transformer, Substation, Main panels, Load break switch.

n. Thermo graphic images of DB's, panel boards shall be enclosed with the report for Category-Z branches. In case of branch with HT substation, All the details of branch and HT substation should be audited.

**The Deputy General Manager (B & O)**  
**State Bank of India**  
**Administrative office**  
**SBI Bhavan**  
**Near Railway Station,Kollam - 691001**



ELECTRICAL SAFETY AUDIT FOR OFFICES/BRANCHES UNDER SBI  
ADMINISTRATIVE OFFICE, KOLLAM

(Invariably respond to all the following parameters/aspects. Do not delete or add any parameter from/to this list.)

SNo	Parameter	Your Response
1	Whether agreeable to all the terms and conditions expressed by the SBI?	Yes / No
2	Whether agreeable to the payment norms of the SBI?	Yes / No
3	Whether agreeable to execute Electrical safety audit for number less than indicated in this tender in case of need at any point of time, during period of contract	Yes / No
4	Whether agreeable to execute all the parameters as per the enclosed check list for Electrical fire safety audit	Yes/ No

\*\* please strike off whichever is not applicable.

We have read and understood all the terms and conditions stipulated by the Bank and do hereby agree to each and every item indicated therein.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2023.

COMPANY SEAL  
(Name & Address of the Company)

ELECTRICAL SAFETY AUDIT FOR OFFICES/BRANCHES UNDER SBI ADMINISTRATIVE OFFICE, KOLLAM

**APPLICATION FOR ELECTRICAL AUDITORS FOR CONDUCTING SAFETY AUDITS FOR VARIOUS SBI OFFICES/BRANCHES**

**Annexure –A**

1.	Name of the Firm / Electrical Safety Auditors	
2.	Address	
3.	Telephone nos. including Mobile no.	
4.	Fax No. & e-mail Id	
5.	List of Technical Personnel employed for the task.	
6.	List of other Staff	
7.	Banker's Name	
8.	GST Registration number	

**Date:**

**Signature of authorized signatory with seal**

**Place:**

## ANNEXURE – B

### FORMAT FOR ELECTRICAL SAFETY AUDIT

**NAME OF BRANCH .....**

BRANCH CODE & REGION	
DATE OF INSPECTION	
AREA OF BRANCH	.....Sq FT/Sq.Meter
KSEB CONSUMER NO	
KSEB SECTION AREA WITH TELEPHONE DETAILS	

### ELECTRICAL DETAILS

SL. NO	PARTICULARS	DEMAND / VALUE
1	SANCTIONED LOAD	
2	AVERAGE USED LOAD	
3	AVERAGE POWER FACTOR	
4	PEAK LOAD	
5	CONNECTED LOAD	
6	MONTHLY AMOUNT OF ENERGY BILL (APPROX)	
7	TOTAL TONNAGE OF AIRCONDITIONERS IN BRANCH	
8	DETAILS OF ACS WHICH ARE MORE THAN 10 YEARS OLD(Type, Tonnage and Quantity)	
9	WHETHER LIGHT FIXTURES IN THE BANK ARE OF LED TYPE	YES / NO
10	DETAILS OF LIGHT FITTINGS WHICH ARE NOT LED(Wattage & Quantity)	

**LIST OF MAJOR EQUIPMENTS & DEVICES**

SL. NO	DESCRIPTION	STANDARD WATTAGE	INVENTORY FLOOR WISE		TOTAL WATTAGE (KW)
			I st	ii nd	
1					
2					
3					
4					
5					
6					
	TOTAL LOAD(KW)				

\*Fill up all the column shown below in detail

SI No.	Check points	Presents Status detailed description shall be provided	Rectifications proposed. Detailed description shall be provided	Observations/ Comments in Details
1	Whether demand load is less than the sanctioned load			
2	Whether penalty is being imposed on electricity bills(I may be ascertained from the electricity bill of June/July /Aug/Sep			
3	Whether additional electrical load is required from power distribution company			
4	Whether Lightning arrestor is provided for Multi stored building			
5	Whether DB's are properly covered if not specify the DB			
6	Whether Electrical equipment's of pantry are properly connected to plug socket arrangement with MCB			

7	Whether panel boards and distribution boards were opened and checked for overheating, loose contact, blackening etc by the electrician who undertake the preventive maintenance.			
8	Whether branch has arrangement for periodical maintenance if so name, contact no and address			
9	General condition of AC's water cooler, water filter etc..			
10	Whether preventive maintenance of equipment is carried out by skilled license holder electricians			
11	Whether the contact numbers of persons, electricians, power distribution co, generator etc. are available with Guard Room ?			
12	Whether Load is balanced in all phases to avoid unbalancing of phases (specify load in Amps R, Y B Phases)			R-----A Y-----A B-----A
13	Whether the sizes of cables/wires are of adequate rating and gauge a. Incoming b. UPS c. PDB d. AC e. LDB f. Electrical gadgets			
14	Whether cables are properly terminated			
15	Whether existing MCB /MCCB/ELCB provided are of adequate rating			
16	Whether MCCB/MCB/ELCB provided in Distribution boards are functioning properly .If not give details in observation column			
17	Whether all plug points are provided with proper earth lead			
18	General Condition of Electrical wiring and type of electrical wiring Open/concealed			
19	Whether single isolating switch is available for the premises and separate switch for the AC in system			

	room, UPS provided at the branch for switching off the non-essential loads at premises during the night			
20	Whether ELCB is provided for Glow sign board			
21	Whether system room AC's and glow sign boards are provided with timer mechanism of adequate rating and functioning properly.			
22	Whether UPS room is properly ventilated and isolated from printer room, system, record room			
23	Whether UPS output is provided for CCTV , Fire alarm system and emergency loads			
24	Condition of Electrical panel room and UPS room and whether properly well-kept and presence of inflammable items including papers cleaning materials if any present may be mentioned clearly in the report			
25	Any hanging/unprotected loose electrical live wires inside the branch premises			
26	Whether power supply to Locker, strong rooms, record/Stationary are disconnected by the removal of three core wire and plug arrangement			
27	Condition of earthing with meggered values and whether meggered resistance values are within the standards –furnish the meggered values			
28	Condition of HT transformer, Breaker, Power cables, Load break switch			
29	Whether Cos is of proper capacity specify the capacity in observation column			
30	Whether DG sets neutral and body are independently grounded			
31	Whether AC points are at easily accessible height			
32	Whether Air conditioners, stabilizers are functioning properly. Please specify the Quality and type of			

	stabilizer			
33	Whether AC's and UPS systems are under AMC			
34	Readings for Incoming Voltage and Current at peak hours between 11.00AM to 3.00PM as per the below format			
35	General condition of Main Switch, Electric Meter Board and , Change Over Switch .			
36	Whether light provided in electrical rooms/operation areas is sufficient / adequate for easy operation & maintenance works			
37	Whether Emergency light/UPS light is provided in Electrical rooms			
38	Whether pump room is maintained dry in good condition			
39	Whether water seepage is observed near any of the Electrical equipment and wirings			
40	Whether paper ,old material or any other scrap kept near DB/panels/UPS/Batteries etc. If so whether they are kept at least 3 feet distance from Electrical points/switch/junction boxes			
41	Whether proper arrangement for ventilation of panel room/electrical room/UPS room is provided			
42	Whether diesel ie inflammable materials are safely stored			
43	Whether the contact numbers of persons, electricians, power distribution co, Generator vendor etc are available with guard and other staff and displayed?			
44	Whether Earth pits are provided and connected /Earthing report is provided by the Electrical contractor or licensed electrician			
45	Whether Earthing for body and Neutral are provided for DG sets			
46	Whether Neutral to earth voltage is within permissible limits			
47	Combustible leaf, litter/waste papers etc. in and around the branch is removed / cleaned periodically?			

48	All disposable records, broken furniture etc accumulated at the premises have been cleared			
49	In the pantry/canteen LPG is used (Yes/No)			
50	Whether Exhaust fan is installed in UPS room			
51	Are fire extinguishers available in the following work area and clearly marked and accessible? A. System/UPS Room- Co2(3 Kg/4.5Kg)x2 B. Banking Hall- Water Co2 type C. Stationary Room – Water CO2 type			
52	At least two 6Kg ABC capacity fire extinguishers are placed near the Diesel Generator?			
53	Capacity Make and number of UPS installed at the Branch			
54	Whether branch is provided with DG sets and its general condition if so specify the capacity in KVA			
55	Whether the approved drawing and energization sanction of DG set is available with branch			

Parameter	Test Point	Reading	Standard Range	Observation
Voltage at Incoming point	Between phases, Between Phase and neutral, N-E			
Current at Incoming point	R phase Y phase B phase Neutral			
Frequency				
Power factor				

The above observations are true and actually recorded by me.

**Place :**  
**Date :**

**Signature &  
Stamp**



**FOR HT SUBSTATION**

Name of Branch /Office.....

ELECTRICAL DETAILS

SL. NO	PARTICULARS	DEMAND / VALUE
1	SANCTIONED LOAD	
2	CONNECTED LOAD	
3	BILLING DEMAND	
4	MAXIMUM DEMNAD (preferably April/May/June months)	
5	PEAK LOAD/PF VALUE AS MENTIONED IN ELECTRICITY BILL (preferably April/May/June months)	
6	MONTHLY AMOUNT OF ENERGY BILL (APPROX)	
7	KSEB CONSUMER NO,SECTION AREA WITH TELEPHONE NO	
8	TOTAL TONNAGE OF AIRCONDITIONERS IN BRANCH	
9	DETAILS OF ACS WHICH ARE MORE THAN 10 YEARS OLD(Type, Tonnage and Quantity)	
10	WHETHER LIGHT FIXTURES IN THE BANK ARE OF LED TYPE	
11	DETAILS OF LIGHT FITTINGS WHICH ARE NOT LED (Wattage, Quantity)	
12	CAPACITY OF SUBSTATION AND VOLTAGE	

SI No	Description	Present Status	Observation / Comments
1	Whether permission of substation and DG set are available and copies of the same are available at Substation		
2	Whether Electric shock treatment charts Electrical and fire safety charts and single line diagram are displayed?		
3	Whether emergency contact numbers of Fire station, Health center, Power distribution Co etc		

	are displayed at substation and control room		
4	Whether electrical danger (fig of skull & cross bones, 440 V/ 230V ) is provided on Main Electrical panel/electrical room/operating areas		
5	Safety Materials like Fire extinguisher, Sand Buckets, Rubber Mats, Hand Gloves, First Aid Box etc. are available in Substation.		
6	Whether the inspection of Substation/DG set/Lift is done once in a year and inspection fees paid well in time? Details of letter showing		
7	Whether the observations by Electrical inspector during his last visit have attended?		
8	Whether preventive maintenance of Breakers, Transformers, Panels etc is carried out as per schedule		
9	Whether contract for Maintenance of transformer/Breaker etc are given to respective manufacturer?		
10	Whether (I) The Maintenance contractor has "A" class Electrical contractors license as per prevailing guide lines of the concerned state/Central govt> (II) The workmen/Technicians possess the wire men/Electricians license ?		
11	In case of outdoor substation (I) Whether the stone gities provided in substation yard? (II) Whether the Substation structure fencing boundary is provided, painted and well maintained?		
12	Whether proper nomenclature and painting is done on Electric		

	panels and earthing pits?		
13	Whether Earthing test reports are provided by the Electrical contractor		
14	Check last date of oil BDV test and confirm the BDV value whether permissible or not?		
15	Whether mechanical and Electrical interlocks of critical equipment's are working or not?		
16	Operating manuals for critical equipment's like transformer, breaker etc are available on site or not?		
17	Whether Automatic power factor control (APFC) panel is provided or not & pf value is maintained within limits?		
18	Whether any penalty is imposed in electricity bill for poor pf value or any incentive are getting in Electricity bills for maintaining the PF value		
19	Whether the Maintenance staff wear shoes and they are well dressed		
20	Whether some training/meeting with maintenance staff about safety challenges is arranged at least half yearly		
21	Thermographic Observations on thermo graphic images at Electric panels. & Distribution boards.(please upload the thermographic images on the system)		

The above observations are true and actually recorded by me.

Place :  
Date:

Signature  
Name of the Auditor  
Name of the Agency  
Supervisor's valid License No.  
Stamp

## LIST OF BRANCHES /OFFICES

Sl. No.	NAME OF THE BRANCH	AO / RBO
1	KOLLAM AO	AO
2	RACPC, KOLLAM	AO
3	CAC KOLLAM	AO
4	RASMEC, PATHANAMTHITTA	AO
5	RASMEC, THIRUVALLA	AO
6	SMEC, KOLLAM	AO
7	RBO KOTTARAKKARA	AO
8	RBO THIRUVALLA	AO
9	RBO PATHANAMTHITTA	AO
10	RASMEC, KOTTARAKKARA	AO
11	RAMANKULANGARA	RBO-1
12	COMMERCIAL BRANCH, KOLLAM	RBO-1
13	KARUNAGAPALLY TOWN	RBO-1
14	CHATHANNOOR TOWN	RBO-1
15	THANGASSERY QUILON	RBO-1
16	KADAVOOR	RBO-1
17	AMRITAPURI	RBO-1
18	CHINNAKADA (QUILON)	RBO-1
19	KERALAPURAM	RBO-1
20	KADAPPAKKADA	RBO-1
21	THEVALLY	RBO-1
22	NRI KOLLAM	RBO-1
23	CHAVARA TOWN	RBO-1
24	KOTTIYAM TOWN	RBO-1
25	PUTHIYAKAVU	RBO-1
26	KOLLAM – CIVIL STATION	RBO-1
27	BISHOP JEROME NAGAR, KOLLAM	RBO-1
28	CHAVARA	RBO-1
29	KARUNAGAPPALLY	RBO-1
30	MAYYANAD	RBO-1
31	SAKTHIKULANGARA	RBO-1
32	CHATHANNOOR	RBO-1
33	SOUTH PARAVUR	RBO-1
34	PARIPALLY	RBO-1
35	KOLLAM – ANANDA VALEESWARAM	RBO-1
36	KOLLAM- BEACH ROAD	RBO-1
37	OACHIRA	RBO-1

38	CHAVARA ADB	RBO-1
39	KOTTIYAM	RBO-1
40	THRIKKADAVOOR	RBO-1
41	KILIKOLLUR	RBO-1
42	ERAVIPURAM	RBO-1
43	VELAMANNUR	RBO-1
44	CLAPPANA	RBO-1
45	PBB, KADAPPAKKADA, KOLLAM	RBO-1
46	KARICODE	RBO-1
47	POLAYATHODE	RBO-1
48	AYATHIL	RBO-1
49	PBB,OACHIRA	RBO-1
50	KANNANALLOOR	RBO-1
51	MARKET JUNCTION, KOTTARAKARA	RBO-2
52	KARAVALLUR	RBO-2
53	BHARANIKKAVU	RBO-2
54	PANACHAVILA	RBO-2
55	KUNNICODU	RBO-2
56	HOSPITAL JUNCTION, KUNDARA	RBO-2
57	AYUR TOWN	RBO-2
58	PULAMON	RBO-2
59	CHADAYAMANGALAM	RBO-2
60	PUNALUR TOWN	RBO-2
61	KOTTARAKARA	RBO-2
62	KUNDARA	RBO-2
63	PATHANAPURAM	RBO-2
64	POOYAPALLY	RBO-2
65	KADAKKAL	RBO-2
66	NILAMEL	RBO-2
67	KOTTARAKARA TEMPLE JUNCTION	RBO-2
68	ANCHAL	RBO-2
69	KOTTARAKARA – PULAMON JUNCTION	RBO-2
70	PUTHOOR	RBO-2
71	THENMALA	RBO-2
72	EAST KALLADA	RBO-2
73	SASTHAMCOTTA	RBO-2
74	NEDIAVILA	RBO-2
75	NALLILA	RBO-2
76	PUNNALA	RBO-2

77	PORUVAZHY	RBO-2
78	KUMMIL	RBO-2
79	OYUR	RBO-2
80	KULATHUPUZHA	RBO-2
81	ODANAVATTOM	RBO-2
82	M C ROAD, VALAKOM	RBO-2
83	PBB, PUNALUR	RBO-2
84	PATTAZHI	RBO-2
85	PBB KUNDARA	RBO-2
86	VILAKUDI	RBO-2
87	SOORANAD	RBO-2
88	PUNALUR	RBO-2
89	THIRUVALLA	RBO-3
90	NRI KUMBANAD	RBO-3
91	KOZHENCHERRY	RBO-3
92	MARKET ROAD THIRUVALLA	RBO-3
93	THIRUVALLA ROAD, MALLAPPALLY	RBO-3
94	ARANMULA	RBO-3
95	NRI, RAMANCHIRA	RBO-3
96	KOZHENCHERRY TOWN	RBO-3
97	NARANGANAM	RBO-3
98	ERAVIPEROOR	RBO-3
99	AYIROOR	RBO-3
100	MALLAPALLY	RBO-3
101	THIRUVALLA TOWN	RBO-3
102	VENNIKULAM	RBO-3
103	KUMBANAD	RBO-3
104	MEPRAL	RBO-3
105	THADIYOOR	RBO-3
106	KUTTAPUZHA	RBO-3
107	OTHARA	RBO-3
108	THIRUMOOLAPURAM	RBO-3
109	CHETTIMUKKU	RBO-3
110	KEEZHVAIPUR	RBO-3
111	KATTODU	RBO-3
112	EZHINJILLAM	RBO-3
113	NIRANAM – KIZHAKKUMBHAGAM	RBO-3
114	KAVIYOOR	RBO-3
115	KOTTANGAL	RBO-3

116	KALLOOPPARA	RBO-3
117	MANIPUZHA	RBO-3
118	NELLIMALA	RBO-3
119	VALAKUZHY	RBO-3
120	N R I BRANCH – THIRUVALLA	RBO-3
121	PULLAD	RBO-3
122	KOIPURAM	RBO-3
123	KUNNAMTHANAM	RBO-3
124	PBB KOZHENCHERRY	RBO-3
125	THELLIYOOR	RBO-3
126	M C ROAD, ADOOR	RBO-4
127	ELAMANNUR	RBO-4
128	PATHANAMTHITTA TOWN	RBO-4
129	VECHUCHIRA	RBO-4
130	M C ROAD PANDALAM	RBO-4
131	PATHANAMTHITTA	RBO-4
132	ADOOR	RBO-4
133	KONNI	RBO-4
134	RANNI	RBO-4
135	PARAKODE	RBO-4
136	PANDALAM	RBO-4
137	THUMPAMON	RBO-4
138	VADASSERIKARA	RBO-4
139	ELAVINTHITTA	RBO-4
140	KADAMPANAD	RBO-4
141	MALLASSERY	RBO-4
142	MYLAPRA	RBO-4
143	OMALLOOR	RBO-4
144	RANNI- THOTTAMON	RBO-4
145	KULANADA	RBO-4
146	ENATHU	RBO-4
147	VRINDAVANAM	RBO-4
148	MALAYALAPPUZHA	RBO-4
149	NARIYAPURAM	RBO-4
150	KODUMON	RBO-4
151	KALLELI	RBO-4
152	KALANJOOR	RBO-4
153	PBB, PATHANAMTHITTA	RBO-4
154	CHITTAR	RBO-4

155	ELANTHOOR	RBO-4
156	VAZHAKUNNAM	RBO-4
157	VAKAYAR	RBO-4
158	PBB ADOOR	RBO-4
159	PAZHAKULAM	RBO-4
160	KIDANGANNOOR	RBO-4
161	ANANDAPALLY	RBO-4
162	CHANDANAPPALLY	RBO-4
163	SEETHATHODE	RBO-4
164	ATHIKKAYAM	RBO-4
165	CHETHAKAL	RBO-4
166	THEKKUTHODE	RBO-4
167	KURAMPALA	RBO-4
168	MANNADY	RBO-4
169	CAC ADOOR	RBO4

The above list is tentative .



**ELECTRICAL SAFETY AUDIT OF BRANCHES / OFFICES UNDER SBI  
ADMINISTRATIVE OFFICE, KOLLAM**

Annexure C

**PRICE BID**

**Category – X (For Branches / Offices having a connected load upto 30 kW**

(Price to be quoted is for a single Branch / Office under AO Kollam)

Sl. No.	Item Description	Rate per Branch / Office (Excluding GST)
1	Charges for conducting the Electrical Safety Audit of Branches/Offices under AO Kollam strictly as per the format, terms and conditions and scope of work as per this tender document.	

**Category – Y (For Branches / Offices having a connected load from 31 kW to 60 kW)**

(Price to be quoted is for a single Branch / Office under AO Kollam)

Sl. No.	Item Description	Rate per Branch / Office (Excluding GST)
1	Charges for conducting the Electrical Safety Audit of Branches/Offices under AO Kollam strictly as per the format, terms and conditions and scope of work as per this tender document.	

**Category – Z (For Branches / Offices having a connected load above 60 kW and / or premises with own substation (HT Consumer) (Price to be quoted is for a single Branch / Office under AO Kollam)**

Sl. No.	Item Description	Rate per Branch / Office (Excluding GST)
1	Charges for conducting the Electrical Safety Audit of Branches/Offices under AO Kollam strictly as per the format, terms and conditions and scope of work as per this tender document. (above 60kW or HT Consumer)	

\*For Category Z, only Empaneled Electrical Auditor with accreditation for Energy Auditing shall be only eligible

Total Amount in Words : Rupees.....

**Notes :**

- TDS at applicable rates for 'Technical Services' will be deducted from the bills.
- Connected load of Branch / Office means connected load mentioned in the copy of latest electricity bill pertaining to that Branch / Office, for the purpose of making payment to the Electrical Safety Auditor a copy of electricity bill also submitted along with final bill.

- There are about 170 Branches / Offices under AO Kollam (Numbers given are tentative and subject to change without prior notice).

**Note :** This tender is an offline tender. There is no online price bid submission for this tender. Tenderers are requested to submit the tender in two bid system (Technical & Price Bid)

**Cover 1 : Technical Bid :** first 24 pages of tender document with required enclosures mentioned in the tender document duly signed and sealed & super scribed with "Cover-1 Technical Bid for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"

**Cover 2 : Price bid:** Last 2 Pages (Pg.No.25 & 26) of the tender document duly filled, signed and sealed & super scribed with "Cover-2 Price Bid for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"

**Cover 3 :** Containing Cover 1 & 2 super scribed with "Tender for Electrical Safety Audit of SBI Branches / Offices under AO Kollam"