

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
1	MANAGER TABLE SIZE: 6'-0" X 3'-0 " X 2'-6" HT. WITH SIDE RACK SIZE: 3'-6" X 1'-4" X 2'-6" HT.	1.00	NOS			-
	Table finished with 6mm thick solid surface (corian), including edges coveing & buffing/polishing. all other visible surfaces made by 1mm laminate finish etc complete as follows					
	BASIC STRUCTURE:					
	The basic structure of the table shall be made out of 18 mm ply + with all open edges covered with beading. The top is extended with curve in vertical surface up to 1'-3". shall be of 18 mm ply + Made from 3 Layers of 6mm flexible ply, top of the table to be finished with Installation of Solid surface of 6mm thick on top and edges. The edges to be joined should be straight, smooth and clean. Joints should only be made with joint Adhesive for manufacture specification. All corners of a cutout must be rounded to 5mm radius and the edges smoothed, both on top & bottom, all around a cutout. "L" & "U" shaped corners need smooth 5mm radius inside corner to cover the thickness & will have 1/2"x1" wooden beading. The front facia will have additional 6mm thick 15" high, 1mm thick Frosty white laminate of approved make and fixed on 18mm thick commercial ply wood. All the internal surface (non visible surface) shall be provided with 0.80 mm thick balancing laminate of approved shade. Etc. All complete as per drawing.					
	DRAWER UNIT:					
	The basic structure of the drawer unit shall be made out of 18 mm ply + 1 mm thick Frosty white laminate. It will have series of drawers (1 small at top & 3 of equal height below the same), made out of 12mm thick ply sides, 6mm thick Ply bottom & 18mm ply front facia & side supports sliding on channels. A wooden member of size: 2 1/2" x 3/4" shall be fixed between.					
	SIDE RACK:					
	The W.S. will have a Side Rack of size: 3'-0" x 1'-4" x 2'-6". The basic structure of the side rack should be of 18 mm ply & 6 mm ply puthi as shown. Side Table top and edges shall be finished with 6mmThick Solid surface (Corian) on Top and Edges. All other visible surface shall be finished with 1mm thick laminate The side rack should have 18 mm ply openable shutters. The side rack should have 18mm ply vertical & horizontal shelves as required					
	FINISHES:					
	1) Table Top : Top of work table with extended surface / side rack / edeges will have solid surface.					
	2) Front Apron & Sides: 1 mm thick thick laminate & Burma Teak beading on Edges with lacquer polish					
	3) Facing of Drawers: 1 mm thick thick laminate & Burma Teak beading on Edges with lacquer polish					
	4) All the internal surface (non visible surface) shall be provided with 0.80 mm thick balancing laminate					
	5) All the wooden surface : polished of approved shade					
	As per drawing and instruction of Architect/Bank Complete					

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
	6) The Table should have READY MADE FOOTREST HIGH IMPACT POLYSTYRENE WITH CROME PLATED METAL STRUCTURE.					
	7) There should be provision for S.S. CABLE MANAGER system with necessary cutouts in top surface					
	8) C.P.U. TROLLY from Steel with lockable roller supports/ Nylon castors.					
	9) KEYBOARD TRAY made from CRCA steel duly powder coated. It must have built-in slides which, must have a soft palm rest and a stow-away design of mousepad mounted underneath it.					
	10) Approved make group lock, handle, hinges, magnet catch etc. as per complete.					
2	OFFICER'S TABLE: 5'-0" x 2'-6" x 2'-6" HT. WITH SIDE RACK SIZE: 3'-0" x 1'-4" x 2'-6" HT.	2.00	NOS			-
	Same as above specification of Item-no-1 (For Sales and Service)					
3	P & F LOW HEIGHT PARTITIONS – 12 MM GLASS - HEIGHTS (1'-0")	11.10	SQ.MT.			-
	BASIC STRUCTURE:					
	P & F Low height partitions made from internal frame of size 50mm x 25mm x 1.50mm thick Aluminium sections @ 2'-0" C/C on both the directions. Frame covered with 12 mm thick MDF & 1 mm thick laminate on both sides. The upper portion above 3' level will have Fixing 12 mm transparent glass with all open edge polished & necessary cutouts as shown, fixed with glass brackets. Applying lacquer polish on exposed steam beach members / edges as directed					
	GENERAL:					
	All the gaps either vertical or horizontal with proper material shall be filled properly. All the vertical members of the partitions shall be inserted / fixed in the floor for proper strength. Necessary provision shall be made in the partition for ele. conduits, switch boards etc. As req. All the partitions shall be fixed to the surrounding furniture / surfaces. To the shape on site measurement will be considered.					
	All the external MDF components (including the thickness of the partition) shall be finished with 1mm thick Laminate on both the sides. All external wooden members shall be in lacquer polish finish.					
4	PROVIDING AND FIXING 12MM THICK TOUGHENED GLASS DIAPHARM FOR SEPARATING TWO M/C FOR E-LOOBY	7.50	SQ.MT.			-
	P /F 12mm thick Toughened glass Diapharm between two machines with etching and frosting Films complete as directed. Glass edges shall be round moulded and polished as per direction. Glass shall be fixed in wall and floor with necessary suitable patch fittings as directed. (Area based on outer diameters shall be measured and paid).					

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
5	P/F WALL PANELING WITH FRAMING AND LAMINATE FINISH	31.20	SQ.MT.			-
	Providing and laying panelling on walls & pillars having 12mm thick MDF Board exterior grade / 6 mm thick ply and 1mm thick laminate fixed on wall & pillars with Aluminium framing of 50mmx25mmx1.50mm thick at maximum 2'-0" C/C bothways on wall and pillar etc complete as directed as per design and instruction of Architect. 4mmx4mm vertical groove in MDF with color filling in every 2'-0". contractor shall make necessary cutout in panelling/frame/wooden members to facilitate electrical/data cabelling and No extra amount shall be paid for this					

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
6	P/F PANELING FOR DISPLAY WALL WITH 3M VINYL GLOSSY FILM WITH PRINTED DESIGN.	1.90	SQ.MT.			-
	Providing and laying panelling on wall having 12mm th MDF Board exterior grade with 3M vinyl glossy films with printed design fixed on wall with Aluminium framing of 50mmx25mmx1.50mm thick at maximum 2'-0" C/C bothways etc. complete as directed. panelling as per design and instruction of Architect. MDF board to be finished with 0.80 mm thick laminate or paint before laying 3M film. Only Front elevation area shall be measured for payment purpose					
	Exposed edges of Display Paneling four side shall be made 36mm thick by providing additional required thickness MDF cove patta of required width.					
7	ALUMINUM COMPOSITE PANEL FOR FRONT SIDE ELEVATION for E-LOBBY IN SIDE WALL	35.00	SQ.MT.			-
	Providing and fixing 3-4mm thick aluminium composite panel of Flexi Bond / Euro Bond / Timex with 0.25 mm foil with 50 mm x 25 mm x 1.50mm thick aluminium hollow section tray system with minimum 20 mm bending with silicon Dow Coming of GE seal proof - ACP of approved indian make complete as per selection and direction of Architect for front facade for the building. This item will be carried out as per manufacturer's specifications. Rate also includes providing trap door shutter with hinges, stoppers etc complete as directed					
8	P & F LOW HEIGHT BACKSIDE CABINET WITH CORIAN TOP	5.30	SQ.MT.			-
	The Backside storage of size: 1'-6" wide x 2'-6" height. The basic structure of the side rack should be of 18 mm ply 6mm Solid surface (Corian). The top shall be of 18 mm ply + 6 mm thick corian patta on front side. The backside storage should have 18 mm ply openable shutters finish with 1mm laminate. The wooden borders shall be in lacquer polish finish. All the internal surface (non visible surface) shall be provided with 0.80 mm thick balancing laminate of approved shade. Etc. It should with all S.S hinges, towers bolts, powder coated handle, ball catches, S.S approved make (group lock) multi purpose lock complete. Edges to be finished with teak wood lipping etc have 18 mm thick ply vertical & horizontal fixed shelves and divider as required. The top will have 1"x1" wooden beading on 1 longer side. All complete as per drawing.					
9	P & F FULL HEIGHT CABINET LAMINATE FINISH	5.20	SQ.MT.			-

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR						
S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
	The basic structure of the side rack should be of 18 mm ply + 1mm thick laminate on front and sides. The backside storage should have 18 mm ply openable shutters finish with 1mm laminate. The wooden borders shall be in lacquer polish finish. All the internal surface (non visible surface) shall be provided with 0.80 mm thick balancing laminate of approved shade. Etc. It should with all S.S hinges, towers bolts, powder coated handle, ball catches, S.S approved make (group lock) multi purpose lock complete. Edges to be finished with teak wood lipping etc have 18 mm thick ply vertical & horizontal fixed shelves and divider as required. The top will have 1"x1" wooden beading on 1 longer side. All complete as per drawing.					

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT IN FIGURES	RATE /UNIT IN WORDS	AMOUNT
10	ELECTRIC PANEL CABINET P & F 1'-3" deep storage cabinet as shown. The basic structure of the cabinet including dividers & shelves shall be made of 18 mm Bison panel sheet. It would not have any puthi but shall have required additional supports to fix the same to the wall. It will have openable shutters as required & shall be made with 50mm x 25mm x 1.50mm thick Aluminium Section framework covered with 6mm bison panel sheet on all sides with 16. Gu. powder coated perforated S.S sheet as infill material. shutter with approved make handle, hinges, ball catches	1.50	SQ.MT.			-
11	P/F PANTRY PLATFORM CUPBOARD SHUTTER. Providing and fixing cupboard shutters below pantry platform using 1 1/2" x 2 1/2" second grade Teakwood members for frame, 18mm Thick plywood with 1.0 mm lamiate for shutters. Providing 1/2" thick Teakwood beading all around shutter. Providing S.S hinges, Handles, stoppers and magnetic catch as directed. have 18 mm thick ply vertical & horizontal fixed shelves and divider as required. The top will have 1"x1" wooden beading on 1 longer side. All complete as per drawing.	1.30	SQ.MT.			-
12	P & F LEDGE FOR LAPTOP / - SIZE: 5'-0" X 1'-6" X 3'-6" ht. Table top and Vertical Sides shall be made out of 36 mm (2X18) thick Commercial plywood and back side 12 mm thick ply wood with Laminate on Top and Edges on all sides. All the visible surface shall be provided with 1mm thick laminate of approved shade. Etc. All complete as per drawing.	1.50	RMT			-
13	P & F A/C OPENING DESK / - SIZE: 4'-0" X 2'-0" X 3'-6" ht. Same as above specification of Item-no-14 (For E-lobby)	1.20	RMT			-
14	P & F DINING TABLE - SIZE: 6'-0" X 1'-6" X 2'-6" ht. Providing and fixing of Dining Table of 2'-6" height, 1" x 1.5" ht. T.W beading shall be fixed on border. Top shall be made of 18 mm thick commercial plywood with additional 18 mm thick Ply wood patta of required width on edges with 1.0 mm thick laminate on top of approved shade and supports of the Table shall be made of 2" x 2" T.W. members in a Design as directed. All surfaces not laminated shall be lacquer polished.	1.80	RMT			-
15	ROLLER BLIND Supplying and fixing Roller Blind Blackout of approved make with selected fabric of approved design and shade. (Basic Price of Rs 135=00 Per Sq.Ft Including GST)	8.40	SQ.MT.			-
16	P/F FROSTED POLYSTER FILM	10.90	SQ.MT.			-

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR						
S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT	RATE /UNIT	AMOUNT
				IN FIGURES	IN WORDS	
	Providing and Fixing Frosted polyster film of 3M (Scotchcal 7725 - 324) or equivalent make over glass surface as per drawing & direction with all labour & materials to the satisfaction of the Architect/Bank as per manufacturer's specification. No deduction will be made for any cutting in the film.					

PRICE BID FOR PROPOSED INTERIOR FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR S.B.I. DIGITAL BANKING UNIT BRANCH, GANDHINAGAR.						
SN	PARTICULARS	QTY	UNIT	RATE/UNIT IN FIGURES	RATE /UNIT IN WORDS	AMOUNT
17	CENTER TEPOY (850mm X 500mm RECTANGULAR)	1.00	NOS			-
	Providing and supplying in position oval or rectangular centre table to be made out of 2" X 2" teakwood frame including 12mm thk clear glass top with bevelled edges including bottom glass shelf with etching etc complete. The rate shall also include SS lining design to the teakwood frames including all the necessary hardware, fittings, fixtures as per manufactursrs specifications complete					
18	CORNER TEPOY (600mm dia, CIRCLE)	1.00	NOS			-
	Providing and making open box structure type Tepoy made out of 36 mm (2X18) thick plywood with all over 1.0 mm thick laminate finish provided with bevelled & diamond polished edges 12mm thick glass on top complete as directed. All complete as per drawing.					
	TOTAL OF AMOUNT					-