


- NOTES:-**
- 1: REFER STAIR DRG. ALONG WITH THIS DRG.
 - 2: REFER DET OF BL / BLR / BLC IN STAIR DRG.
 - 3: REFER GENERAL NOTES DRG.
 - 4: PROVIDE CAMBER OF 20mm-25mm FOR CANTILEVER SLAB/BEAM WITH SPAN LESS THAN 6 FEET.
 - 5: PROVIDE CAMBER OF 30mm-40mm FOR CANTILEVER SLAB/BEAM MORE THAN 6 FEET.
 - 6: PROVIDE THROUGHOUT RCC LINTEL & SILL OVER ALL WALLS.
 - 7: CHECK THE STRUCTURAL DRG. WITH ARCH. DRG / ELEVATION / SECTION / 3D.
 - 8: IF ANY AMBIGUITY FOUND, CONTACT STRUCTURE ENGG. IMMEDIATELY BEFORE STARTING WORK.
 - 9: FOLLOW ONLY ARCHITECTURAL DIMENSIONS.
 - 10: STRUCTURE ENGINEER IS NOT RESPONSIBLE IF ANY ACCIDENT OCCURS ON SITE DUE TO CONSTRUCTION FAULTS.
 - 11: CHECK THE POSITION OF FC WITH ARCH. DRG.
 - 12: GET IT APPROVED BY ARCHITECT BEFORE STARTING EXECUTION OF WORK.
 - 13: PROVIDE DRAINAGE PIPE AS PER PLUMBING CONSULTANT BEFORE CASTING SLAB & BEAM. NO CUTOUTS ARE ALLOWED AFTER CASTING SLAB/BEAM.
 - 14: MINIMUM CAMBER AT CENTER OF SIMPLY SUPPORTED BEAM
 $(\text{CAMBER IN MM}) = \text{SPAN(MM)} / 250$
 - 15: MINIMUM CAMBER AT FREE END OF CANTILEVER IN (MM) = $\text{SPAN(MM)} / 50$
 - 16: THIS STRUCTURE DRG IS BASED ON ARCH DRG SENT BY MAIL ON DATE (20/01/2021) WORKING



CONCRETE GRADE	
ITEM	GRADE
COLUMN	M35
SLAB	M35
BEAM	M35

USE STEEL GRADE Fe 500-D

PROJECT NAME:-
SBI CORPORATE OFFICE


ARCHITECT:-
MAMTA SHAH

STRUCTURAL CONSULTANT :-
ZARNA ASSOCIATES
 STRUCTURAL CONSULTING ENGINEER
 14, Ratnam Apartment, Opp. Neptune Tower,
 Near Premier Chamber, Productivity Road, Alkapuri, Vadodara.
 Tele. ph./mo. no. - 0265 - 2341278
 +91 92276-27339/40
 E - Mail - zar_nasso@yahoo.com


APPROVED BY:- VRP
CHECKED BY:- RISHVA
DRAWN BY:- KRISHNA
CORRECTED BY:- VIJAY
DATE:- 18-12-2023
PROJECT NO. : 401/17

DRAWING TITLE:
4th FLOOR SLAB BEAM
(+18.10 MT LVL.)


DRG NO : 15
SCALE : N.T.S. **SHEET :** A3 **N**



Mechhad



For ZARNA ASSOCIATES
 Structural Consultants
 Dr. V. R. PATEL
 Ph.D. (Str. Engg.) M.E. (Str.) B.E.(Civil)



LAST NO.:-B55

150 MM THK.SLAB
4th FLOOR SLAB BEAM(+18.10 MT LVL.)

Z:\COMMON\2019\MAMTA SHAH\SBI CORPORATE OFFICE\STR DRG