BOQ FOR THE PROPOSED WORKS OF RENOVATION/INTERIOR/FURNISHING OF **BRANCH FOR STATE BANK OF INDIA** BRANCH DETAIL: Ghatiya Branch, Distt. UJJAIN (M.P.) PART-A: INTERIOR FURNISHING NEW AND/OR REPAIR WORKS 5.N. Description of Item Unit Quantity Rate Amount A False Ceiling and Repairs 1 Providing and fixing and finishing **Gypsum Board False Ceiling** as per drawing made from 60mm x 36mm (approx.) G.I. 'C' main supports suspended from the ceiling by means of 25 mm x 18 mm (approx.) G.I. suspenders fitted to the ceiling above with anchor fasteners and rowl plugs in concrete ceilings and other suitable approved means on all other type of ceilings as required and as per design, having pattas/ concealed coves as indicated in drawings. Fixing 11-12.5 mm (approx.) thick gypsum board on GI channels using good quality self-tapping screws, finishing and jointing two boards with adhesive and jointing tapes finished complete in lines and level including providing coves, cut-outs for light fittings and extra frame work as necessary for AC grills and/or any other cutouts etc. complete in all respects. Quoted rate to include cost of making opening for light fittings, grills, diffusers, coves for fitting of diffused lights etc. as required and making good the same. Cost of saM 135.00

.N	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
2	Providing & fixing of Armstrong Mineral Fibre				
	Acoustical Suspended Ceiling System with				
	Classic Lite (Tegular) EDGE TILES WITH				
	ARMSTRONG 24mm EXPOSED GRID. The				
	tile should have Humidity Resistance (RH) of				
	99%, NRC 0.5, Light Reflectance ≥84%,				
	Thermal Conductivity $k = 0.052 - 0.057 \text{ w/m}$				
	K, Colour White, Fire Performance UK Class 0 /				
	Class 1 (BS 476 pt - 6 &7) in module size of				
	600 x 600 x 16mm with Bio Block coating on				
	the face of the tile, suitable for Green Building				
	application, with Recycled content of 35 - 38%.				
	The tile shall be laid on Armstrong Prelude32				
	with 24 mm wide T - section flanges colour white having rotary stitching on all T sections				
	i.e. the Main Runner, 1200 mm & 600 mm				
	Cross Tees with a web height of 32 mm and				
	27mm ,25 mm respectively. The cost shall				
	include all fittings and materials, scaffoldings,				
	walkways etc. complete including proper				
	installation and provisioning etc.				
		Sq.M	65.00		
3	Providing and fixing coves for lighting in any	RMt.	72.00		
В	Panellings and Partitions				
4	Providing and fixing single skin panelling on				
	walls/columns with laminate finish.				
	Wall paneling made from 25 x 25 x 1.00 mm				
	thick hollow aluminum sections, over which				
	BWR grade ply of 8 mm shall be fixed as per				
	the design in the drawing or as directed by				
	Architect, with required molding/lipping patty on the edges and finished with laminate				
	comprising as under:-				
	(i) Framework:- Made out of 50 mm x 25 mm x				
	1.2mm thick (approx.) extruded Aluminium				
	hollow sections, placed not exceeding 600 mm				
	centre to centre, bothways (horizontal and				
	vertical), fixed rigidly on wall / columnns in				
	perfect line, level and plumb. or alternatively if				
	required and as required with ply levelling				
	framework or aluminum framework panelling				
	and 18 mm thick ply of approved ISI grade for				
	panelling of columns etc.				
	(ii) Panel Finishing:- Providing & fixing 8 mm				
	thick approved make BWR plywood as per the	1	1		i e e e e e e e e e e e e e e e e e e e

S.N	<u>Description of Item</u>	Unit	Quantity	<u>Rate</u>	<u>Amount</u>
	-contd-Teakwood lipping etc shall be provided				
	where required or directed and shall be finished				
	with 1mm thick textured laminate as approved				
	and the rates shall be including provision for				
	items like soft board/ white board, electrical	Sq.M	98.00		
5	Providing and fixing FULL HEIGHT DOUBLE	Ċ			
	SKIN PARTLY GLAZED/ UNGLAZED PLY				
	PARTITION in position 70mm thick +/- 2mm				
	full height solid/opaque ply partitions finished				
	with laminate on both sides comprising as				
	under:-				
	(i) Framing- Made out of 50mm x 50mm, 1.2				
	mm thick (approx.) or other appropriate				
	approved hollow aluminium square sections at				
	spacing not exceeding 600 mm (may slightly				
	vary as per unavoidable site conditions) both				
	ways (horizontal and vertical) fixed rigidly on				
	floor, wall / column & ceiling.				
	(ii) Plywood skin:- Providing & fixing 8 mm				
	thick BWR plywood as per the design to				
	Aluminum framework				
	(iii) Finishing:- Providing 1.00 mm thick				
	approved quality and shade laminate of				
	reputed makes (up to Rs.650 per sq.mt.) using				
	approved adhesive, in approved pattern &				
	design, including approved quality and shade				
	laminate, on both sides of partitions in				

N.I	PART-A: INTERIOR FURNISHING NE				
N.	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
	-contd- the rates shall be including provision				
	for items like soft board/ white board, electrical				
	switchboards, telephone and electrical wiring				
	etc as and where required (but excluding the				
	cost for the items). All glazed openings in				
	partitions having 5 mm thick glass shall be				
	counted in partition areas and cost shall include				
	all lippings, beadings etc. complete required for				
	framing etc. 8mm, 12mm glass openings				
	wherever applied shall neither be included in				
	measurements nor costing and shall be				
	considered as separate item to be paid under				
	the relevant item in the tender. Providing,				
	finishing and fixing of lippings/ beadings for				
	these shall be included in the cost of partition.				
	The internal framework for partition shall				
	be extended so as to secured the partition				
	to available concrete ceiling/beams etc.				
	The extended part shall remain without				
	the 8mm ply/laminate on both sides.				
	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL				
	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or	Sq.M	29.00		
ō	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be	Sq.M	29.00		
ō	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:-	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2	Sq.M	29.00		
ō	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate	Sq.M	29.00		
်	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate approved hollow aluminium square sections at	Sq.M	29.00		
ō	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate approved hollow aluminium square sections at spacing not exceeding 600 mm (may slightly	Sq.M	29.00		
ō	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate approved hollow aluminium square sections at spacing not exceeding 600 mm (may slightly vary as per unavoidable site conditions) both	Sq.M	29.00		
5	the 8mm ply/laminate on both sides. MEASUREMENT FOR THE PAYMENTS SHALL BE DONE ONLY BELOW THE FALSE Providing and fixing HALF HEIGHT DOUBLE SKIN GLAZED/UNGLAZED PLY PARTITION in position 70mm thick +/- 2mm half height approx. 1.2m high solid/opaque ply and/or 0.9m solid partitions with 12mm thick glass upto 1.2m height supported on d-buttons or grooves or lippings in cutouts, partition shall be finished with laminate on both sides comprising as under:- (i) Framing- Made out of 50mm x 50mm, 1.2 mm thick (approx.) or other appropriate approved hollow aluminium square sections at spacing not exceeding 600 mm (may slightly vary as per unavoidable site conditions) both ways (horizontal and vertical) fixed rigidly on	Sq.M	29.00		

	PART-A: INTERIOR FURNISHING N	W AN	D/OR RE	PAIR V	WORKS
S.N	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
	-contd- (v) Teakwood lipping etc shall be provided where required or directed and shall be finished with 1mm thick textured laminate as approved and the rates shall be including provision for items like soft board/ white board, electricalswitchboards, telephone and electrical wiring etc as and where required (but excluding the cost for the items). All glass work above the partition shall be counted in partition areas and cost shall include all lippings, beadings etc. complete required for framing etc.				
		Sq.M	9.00		
7	Fabrication of Aluminum Composite Panel (ACP) Facias/column claddings etc. as per drawings and specifications with 4 mm thick exterior grade composite (AL-PE-AL) panels of choice and of reputed brands like Viva, Alstrong, Alstar as approved having two aluminum skins pre-coated and thermally bonded on each side of non toxic polyethylene core. The structure shall be fabricated using fresh, 18 guage 25mmx50mm (approx.) Aluminum rectangular pipe section of good quality or members recommended by the manufacturer and in accordance with the specifications and recommendations of the manufacturer. The structure shall be fitted in place ON walls/beams/columns/MS fabricated structures etc. as instructed using recommended fixing method, adhesives, sealers, etc. complete to the engineer-incharge's satisfaction. The cost shall include all scaffoldings, chase making, lifting, cutting, on				
		Sq.M	57.00		
С	site adjustments, plaster repairing, etc. Storages	Sq.M	57.00		

S.N	Description of Item	Unit	Quantity	Rate	Amount
	Providing and fixing full & low height	011110	quarrery	<u>rtate</u>	<u> </u>
	storage cabinets as storage and/or				
	runners from 400mm to 600 mm depth in				
	18mm thk. ply construction with 6mm				
	thk.comm. ply backing complete as per detail/				
	specifications with horizontal & vertical				
	divisions and drawers as/detail. The rate shall				
	include all TW lippings, lamination of partitions,				
	shutters shall have wooden lipping/ and				
	finished with 1mm thick Textured Laminate				
	(up to rs.850 per sq.mt.) on outer face of the				
	shutter and the shutter edges, storage top and				
	all exposed faces of the storage . Inside of				
	storage and shutter shall be finished with economical laminate in matching or plain				
	colour, as required. The handles & hinges will				
	be s s finish or as as/app. & shutters shall be				
	on ebco self closing hinges and drawers shall				
	be on ebco telescopic slides.				
		Sq.M	13.00		
9	Providing and fixing Cabinet for Electrical				
	Panel/Distribution Board (for DBs outside				
	electrical room only) from 400mm to 600				
	mm depth in 18mm thk. ply construction on				
	open back (without 6mm thk.comm. ply				
	backing) fitted on ply framework (cost				
	included) to complete as per detail/				
	specifications. The rate shall include all TW				
	lippings, lamination etc. complete. the shutters				
	shall have wooden lipping/ and finished with 1mm thick SF/Textured Laminate (up to				
			1		

N <u>Description o</u>	of Item	Unit	Quantity	Rate	<u>Amount</u>
Providing and fixing Execu	tives Branch		,		
Manager Tables having a					
size Length upto 1.8M-2					
0.90m and standard heigh	-				
of runner. The table shall	be made in 18mm				
ply construction with C.P.U.	space, single				
drawer and cabinet below a	s per design and				
drawing. The table edges s	shall be double thick				
and all visible surfaces inclu	ıding table tops				
facia of drawers and outside	e of shutters etc.				
shall be finished with 1 mm	thick SF/Textured				
Laminate (up to Rs.650/- p	er sq.mt.) as				
directed, the bottom and in	side of table shall				
be finished with 1mm thick	laminate of				
approved make, colour and	design and all				
hidden areas like inside of o	drawers, cabinets,				
finished with economical lar	minate. Cost shall				
include providing and fixing	Computer				
keyboard trays (Powdercoa	ted MS) EBCO make				
or equivalent as per approv	al with keyboard				
and sliding mouse tray atta					
per approval under worktop	s as and where	Nos	1.00		
Providing and fixing OFFIC	ER,				
RELATIONSHIP SERVICE	MANAGER and				
AUDITOR Tables approx	size length 1.65-				
1.50mx width upto 0.75	m and standard				
height excluding runner	in 18mm ply				
construction with C.P.U. spa	ace, single drawer				
and cabinet below as per de	esign and drawing.				
The table edges shall be do					
visible surfaces including ta	•				
drawers and outside of shu					
finished with 1 mm thick SI	•				
(up to Rs.650/- per sq.mt.)					
bottom and inside of table s					
1mm thick laminate of app					
and design and all hidden a					
drawers, cabinets, finished					
laminate. Cost shall include	•				
fixing Computer keyboard t					
MS) EBCO make or equivalent	• •				
with keyboard and sliding n	•				
attachment in colour as per	• •				
worktops as and where inst	ructed. The cost	Nos	1.00		

	PART-A: INTERIOR FURNISHING N	EW AN	D/OR RE	PAIR \	WORKS
S.N	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
12	Providing and fixing Assistant/Clerical Staff				
	(Clerks, SBI Counters) Tables approx size				
	1.5-1.35mx0.75m and excluding runner in				
	18mm ply construction with C.P.U. space,				
	single drawer and cabinet below as per design				
	and drawing. The table edges shall be double				
	thick and all visible surfaces including table				
	tops facia of drawers and outside of shutters				
	etc. shall be finished with 1 mm thick				
	SF/Textured Laminate (up to Rs.650/- per				
	sq.mt.) as directed, the bottom and inside of				
	table shall be finished with 1mm thick laminate				
	of approved make, colour and design and all				
	hidden areas like inside of drawers, cabinets,	Nos	2.00		
13	Providing and fixing SERVICE WINDOW				
	OFFICER COUNTERS Tables approx size				
	1.5-1.35m x0.9-0.8m x 0.75m and				
	excluding runner in 18mm ply construction				
	with C.P.U. space, single drawer and cabinet				
	below as per design and drawing. The table				
	edges shall be double thick and all visible				
	surfaces including table tops facia of drawers				
	and outside of shutters etc. shall be finished				
	with 1 mm thick SF/Textured Laminate (up to				
	Rs.650/- per sq.mt.) as directed, the bottom				
	and inside of table shall be finished with 1mm				
	thick laminate of approved make, colour and	RMt.	3.50		

	PART-A: INTERIOR FURNISHING N	EW AN	D/OR RE	PAIR V	WORKS
S.N.	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
14	Providing & placing Grahak Mitra approx size				
	1.65mx0.8-0.9mx0.9-0.75m excluding				
	runner in 18mm ply construction with C.P.U.				
	space, single drawer and cabinet below as per				
	design and drawing. The Design shall carry				
	arch shape and matching elements which shall				
	be made using 3 nos 6mm thick flexible ply of				
	approved brand, bonded together with				
	synthetic adhesives like fevicol etc. using ply				
	formwork, jigs and fixtures (cost included in				
	the quote). The table edges shall be double				
	thick and all visible surfaces including table				
	tops facia of drawers and outside of shutters				
	etc. shall be finished with 1 mm thick				
	SF/Textured Laminate (up to Rs.650/- per				
	sq.mt.) as directed, the bottom and inside of				
	table shall be finished with 1mm thick laminate				
	of approved make, colour and design and all				
	hidden areas like inside of drawers, cabinets, finished with economical laminate. Cost shall				
	include providing and fixing Computer keyboard trays (Powdercoated MS) EBCO make		4 00		
15	Providing & placing Wall Mounted Writing	Nos	1.00		
13	desk in 18mm ply construction as per design				
	and drawing. The table top shall be in 12 mm				
	thick glass. The table edges shall be double				
	thick and all visible surfaces shall be finished				
	with 1 mm thick SF/Textured Laminate (up to				
	Rs.650/- per sq.mt.) as directed, of approved				
	make, colour and design as directed.				
		Nos	2.00		
Ε	GLASS				
	Providing and fixing 12 mm thk TOUGHENED				
	fixed glass for glazing at entrances etc.				
	and half height partitions of Single				
	Window Counters (of approximate size				
	1450mm x 400mm - 100mm cut and edge				
	polished in curvilinear/tapered shape)				
	fitted with suitable SS Patch Fittings of				
	reputed makes and size as demarcated and				
	adjoining the doors etc and/or as required. The				
	glazing shall be of 12 mm thk. clear float				
	glass, cut to size/shape etc. as directed, edge				
	polished and TOUGHENED, fixed as per SS	sqM	18.50		

	PART-A: INTERIOR FURNISHING N	EW AN	D/OR RE	PAIR V	VORKS
.N	Description of Item	Unit	Quantity	Rate	Amount
17	Providing and fixing 12 mm thk fixed glass for glazing/ Partition / Glass on Transaction side of Single Window Operator Counters of size as demarcated and adjoining the partitions/doors etc and/or as required made out of 12 mm thk. clear float glass, edge polished fixed in grooves, ply framework with wooden lippings and/or wooden top and bottom rails adjoining doors or wooden frames/ partitions with wooden ribs etc. and/or jointed to other glasses with UV setting glass adhesive as required. Cost shall include provision of Lamination of glass with etching film of sticker type as per the architects designs where required.				
		sqM	4.00		
10	Providing and fixing 8 mm thick clear float glass of reputed brands like Modi, Saint Gobain or equivalent upon approval in glazings, glass shutters in displays, doors, etc. except in the double skin partitions as instructed of size as instructed, made out of edge polished glass fixed from top and bottom in ply partitions or all four sides inside partitions or shutters with tw beadings of design as per approval as instructed on the top and bottom partitions not including cost of beadings/ PU polish of beadings/ d-buttons etc.	sqM	6.00		
F	DOORS	Sqiri	0.00		
	Providing and fixing 12mm thk Toughened Glass Doors of any size at Entrances/ Conference room/ Cabins etc. single or a set of two where required, and of size as demarcated, swing type door openable both sides made out of 12 mm thk. clear toughened float glass, edge polished fixed in SS patch fittings of Dorma or equivalent patch fittings as per the manufacturers recommended process and methods, of approved finish and as per the placement in drawings and				

	PART-A: INTERIOR FURNISHING NI	,			
<u>.N</u> 20	Providing and fixing Door closers on doors of make Everite/Ozone/ Hardwyn/ Dorma or equivalent upon approval including all packing, levelling, etc. as required and upto the architects satisfaction.	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>
		Nos	2.00		
21	Providing and fixing additional Night Latch type Lock (without handle) on doors of make Godrej/Ozone/Europa or approved equivalent make and design. The latch shall have minimum 3 keys and shall have automatic locking, openable from inside with knob/sliding bolt and with keys from outside. The rate shall be inclusive of all required carpentry works, all required guideplates, hardware, hole cutting etc. complete.	Nos	1.00		
G	WALL TEXTURE AND PAINT		l l		
	Providing and applying Premium Emulsion Paint on walls, ceiling, partitions etc. (Old or Fresh Putty Finish Work) including surface preparation, cleaning, scraping & scrubbing the flaky portions of old paint and roughening of paint layers in good conditions. The scope shall include putty touchup at all required areas, application of primer etc. as per good practices and finishing with upto two or more coats of ICI Dulux washable emulsion paint or equivalent - roller finish (matt) to all indicated wall surfaces. The paint shall be applied after thorough cleaning of the existing C-1- Executive chairs for BM cabin costing for High Back, swivel and synchro type chairs with castors and handrests as per choice of quality and design (Featherlite Make Design "Astro High Back" Mesh Chair with Lumbar Support and cushion seat or equivalent upon approval)	sqM	68.00		
	and casmon scar or equivalent apon approvally	Nos	1.00		
24	C-2- Officer, Service Manager, Cash Officer, Conference Room and Visitor Chairs for BM cabin costing for Medium Back, swivel type chair with castors and handrests as per choice of quality and design (Featherlite Make Design "Astro Medium Back" Mesh Chair with Lumbar Support and cushion seat or equivalent upon approval)	Nos	11.00		

	PART-A: INTERIOR FURNISHING NEW AND/OR REPAIR WORKS						
S.N	<u>Description of Item</u>	<u>Unit</u>	Quantity	<u>Rate</u>	<u>Amount</u>		
25	C-3- Visitor Chair / Workstation / visitor /lunch room chairs costing for Low/Medium Back, Fixed type chairs with handrests and without castors, as per choice of quality and design (Featherlite Make Design matching Astro Model Mesh Chair with cushion seat or equivalent upon approval)						
26	C-4- Stainless Steel Airport Waiting Chairs 3 seater (Wt 50KG) models with handrests and without castors, as per Bank Engineer Approval of superior quality and design	Nos Nos	4.00				
27	PVC lightweight chairs with chrome plated legs for Dining Table and different design for peons, colour and shade as per approval	Nos	3.00				
	Grand Total	Rs.					
In	Words Rs.		•				