



NIT FOR

HIRING OF PREMISES ON LEASE FOR SHIFTING OF AZAMGARH BRANCH (00014), DIST.-AZAMGARH UNDER RBO –V OF AO VARANASI

TECHNICAL BID (COVER-I)

Sl. No	Description	
(a)	Tender ID	RBO-V/PREM/05
(b)	Tender Name	Hiring of premises on lease for Shifting of Azamgarh Branch (00014), Dist.-Azamgarh under RBO –V of AO Varanasi
(c)	Date of Issue of Tender	20.05.2024
(d)	End date of Tender Last date of tender submission	10.06.2024
(e)	Tender opening date	10.06.2024 at 04.00 PM (Else Informed)

NOTICE INVITING TENDER (NIT)

**STATE BANK OF INDIA
Regional Business Office-V
Azamgarh, UP**

COMMERCIAL/ OFFICE SPACE REQUIRED ON LEASE

State Bank of India Regional Business office (RBO-V) Azamgarh invites offers for hiring of premises on lease for shifting **of Azamgarh Branch (00014)** from **owners / Power of Attorney holders** on rental basis for Commercial / Office use having **area of approx. 500 sq.mt** Located on prime vicinity preferably on a main road with wide & pucca Road, accessible for cash van /Truck having adequate open / covered parking space. **The entire space should be on one single floor.**

The format for submission of the technical bid containing detailed parameters, terms and conditions and price bid can be downloaded from website www.sbi.co.in under procurement news. Preference will be given to the premises owned by the **Govt. departments / Public Sector Units / Banks**. The offers in a sealed cover complete in all respects should be submitted to **State Bank of India, Regional business Office (RBO-V), Azamgarh ,Raidopur, Dist-Azamgarh- 276001** on or before 3:00 pm on **10.06.2024**. SBI reserves the right to accept or reject any offer without assigning any reasons thereof. No Brokers please.

Regional Manager (RBO-V)

TERMS AND CONDITIONS

OFFER/LEASING OF OFFICE PREMISES

This tender consists of two parts viz. the Technical Bid having terms and conditions, details of offer and the Price Bid. Duly signed and completed separate Technical and Price Bids are to be submitted for each proposal using Xerox copies in case of multiple offers. The Technical Bid and Price Bid for the proposal should be enclosed in separate sealed envelopes and these two envelopes be placed in a single cover **super scribing “Tender for Hiring of premises on for shifting of Azamgarh Branch (00014), Dist.- Azamgarh RBO-V AO Varanasi** and should be submitted to the **State Bank of India, Regional business Office (RBO-V), Azamgarh, Raidopur, Dist- Azamgarh- 276001** on or before 3:00 pm on **10.06.2024.**

Important points of Parameters -

1	Built up Area (BUA)	<ol style="list-style-type: none">Area of approx. 500 sq.mt for on single floor on Ground floor.Located prime vicinity and preferably on a main road with wide & pucca Road, accessible for cash van /Truck having adequate open / covered parking space.
2	Covered Parking Space	02 four wheelers and 10 two wheelers for staff
3	Open parking area	Sufficient open parking area for customers
4	Amenities	24 hours water facility, Electricity, Generator power back up for essential services like lift, pump etc.
5	Possession	Ready possession / occupation shall be preferred Premises should be ready for possession within 3 to 4 months.
6	Premises under construction	Will be considered provided there is scope for Construction of currency chest as per RBI specifications
7	Premises Details	I. The offer of premise should be for the premises to be constructed as per specific requirement of the Bank and the premise should have a currency chest and One locker

		<p>room to be constructed as per extant norms of Reserve Bank of India.</p> <p>The Built up area required is around 500 sq.mt. approx including approx. 140 sq.mt. for currency chest and 20 sq mt Locker room with 5% variance depending upon actual site area available vis- à-vis Bank's requirement.</p> <p>II. The height of the plinth of the building should be minimum 450 to 600 mm above the maximum flood level of the locality. The premises should have permission for commercial use.</p> <p>III. The water proofing of the slab of the building should be with a guarantee of entire lease period, or if it is for lesser period, it will have to be renewed from time to time up to lease period at the cost of bidder.</p> <p>IV. The flooring should be of contemporary flooring as per Bank's requirement.</p> <p>V. A currency chest as per RBI Specifications (annexure-II) at Ground floor and other structures (Locker Room etc.) will have to be constructed by bidder at their own cost. Tang Bar and Strong room door, ventilator , emergency door etc. shall supplied by bank Bidder has to ensure satisfactory installation. Necessary guidance and technical support shall be provided to bidder from respective agencies during installation.</p> <p>VI. Any other requirement deemed suitable for the Bank shall be advised as and when required. Any other suggestions by Bank's Civil Engineer regarding construction of premises will be binding on the bidder.</p> <p>VII. Bidder has to appoint an architect/Structural Engineer for design and construction of the premises from Bank's panel of Architects for drawing & supervision the construction of currency chest as per RBI Specifications at their own cost. All the necessary testing (cube test, structural stability test etc.), maintenance of records, as required by the RBI .</p>
--	--	--

8	Preference	i) Premises duly completed in all respect with required occupancy certificate and other statutory approvals of local civic authority (ii) Single floor (iii) Govt. Departments / PSU / Banks
9	Initial period of lease	Initial 5 years with an option to renew after 5 years at predetermined increase in rent @ 15-25% after expiry of first term of 5 years, at the time of renewal.
10	Selection procedure	Techno-commercial evaluation by assigning 70% weightage for technical parameters and 30% weightage for price bids
11	Validity of offer	6 months from the date of submission of the Offer
12	Stamp duty / registration Charges	To be shared in the ratio of 50:50.

TERMS AND CONDITIONS

1.1 The successful vendor should have clear and absolute title over the premises and authorize SBI carry out Title Search/Title Investigation Report from SBI empanelled advocate, the cost of which shall be **borne fully by the landlord**. The successful vendor will have to execute the lease deed as per the standard terms and conditions finalized by SBI for the purpose, and the **stamp duty and registration charges of the lease deed will be shared equally (50:50) by the lessors and the Bank**. The initial period of lease will be 5 years and will be further renewed for 5 years (viz. **total lease period 10 years**) with requisite **exit clause** to facilitate full / part de-hiring of space by the Bank during the pendency of the lease. As regards **increase or decrease in rents** payable, increase in rent if any shall be **subject to market conditions** & to a **maximum ceiling upto 25% after initial term of 5 years is completed. After 10 years, rent can be negotiated** and finalized with mutual agreement so that new lease can be executed for further term of 5 + 5 years.

1.2 **Tender document received after** due date and time i.e, **10.06.2024 after 3:00 pm shall be rejected.**

1.3 The intending lessors are requested to submit the **tender documents in separate envelope** super scribed on top of the envelope as Technical or commercial as the case may be (**TECHNICAL BID AND PRICE BID**) duly filled in with relevant documents/information at the following address: **State Bank of**

India, Regional business Office (RBO-V), Azamgarh ,Raidopur, Dist-Azamgarh-276001 on or before 3:00 pm on **10.06.2024.**

1.4 **All columns of the tender documents must duly filled in and no column should be left blank.** All pages of the tender documents (Technical and Price Bid) are to be signed by the authorized signatory of the tendered. Any over-writing or use of white ink is to be duly initialed by the tenderer. SBI reserves the right to reject the incomplete tenders.

1.5 In case the space in the tender document is found insufficient, the intending lessors may attach separate sheets.

1.6 The **offer should remain valid** at least for a period of **6 (six) months** to be **reckoned from** the last date of submission of offer i.e, **10.06.2024.**

1.7 There should not be any deviation in terms and conditions as have been stipulated in the tender documents. However, in the event of imposition of any other conditions, which may lead to a deviation with respect to the terms and conditions as mentioned in the tender document, the intending lessor is required to attach a separate sheet "list of deviations", if any.

1.8 The **Technical Bid** will be **opened on 10.06.2024 at 16:00 Hrs** in the presence of tenderers who wish to be present at **State Bank of India, Regional business Office (RBO-V), Azamgarh ,Raidopur, Dist-Azamgarh- 276001.** All tenderers are advised in their own interest to be present on that date at the specified time.

1.9 SBI reserve the right to accept or reject any or all the tenders without assigning any reason thereof. In case of exigency and depending upon the suitability, the Bank may as well accept more than one proposal to suit its total requirements.

1.10 Canvassing in any form will disqualify the tenderer. **No brokerage will be paid to any broker.**

1.11 The shortlisted lessors will be informed for arranging site inspection of the offered premises.

1.12 **Income Tax and other statutory clearances shall be obtained by the lessors** at their own cost as and when required. **All payments** to the successful vendor shall be made **by Account Payee Cheque or RTGS/NEFT.**

1.13 **Preference** will be given to the exclusive building/floor in the building having ample parking space in the compound / basement of the building.

Preference will also be given to the premises owned by the Govt. Departments / Public Sector Units /Banks.

1.14 Preference will be given to the buildings on the main road.

1.14a. **Premises to be away from fire hazardous establishments like petrol pump, gas godown, chemical shops & high tension electrical wires etc. Premises should not be located on low lying area, water logging area.**

1.14b. The details of parameters and its weightage for technical score has been incorporated in **Annexure I**. The selection of premises will be done on the basis of **techno commercial evaluation**. **70%** weightage will be given for **technical** parameters and **30%** for **price bid**. The score finalized by Committee of the SBI in respect of technical parameters will be final and binding to the applicant.

1.15 The **income tax and other taxes** as applicable will be **deducted at source** while paying the rentals per month. **All taxes and service charges** shall be **borne by the landlord**. While renewing the lease, the effect of subsequent increase/decrease in taxes and service charges shall be taken into account for the purpose of fixing the rent. In case, the landlord fails to pay the taxes or charges levied by government or any statutory bodies, the Bank may make the payment of the same at his sole discretion and thereafter it shall be entitled to be reimbursed by the landlord and also will be entitled to deduct the payment made from the rent payable to the landlord.

It is to be noted that **landlord will be required to raise the bill to the Branch every month for the rent due to them indicating the GST component also in the bill separately if applicable. The bill also should contain the GSTIN number of the landlord, apart from name, address etc. of the landlord and the serial number of the bill, for the bank to bear the burden of GST otherwise, the GST if levied on rent paid by landlord directly, shall be reimbursed by the Branch to the landlord on production of such payment of tax to the Govt. indicating name, address and the GST registration number of the landlord.**

1.16 **The interest free rental deposit equivalent to maximum six month's rent may be granted to the landlord at the time of taking possession of the premises** depending upon the need / demand of the landlord for the same and such deposit will have to be adjusted during the last six months of occupation.

1.17 **Mode of measurement for premises is as follows:**

Rental will be paid on the basis of carpet area which will be measured as per relevant IS code / Bank's Premises Manual.

Components/ Areas like Lift, Lift wall, Ducts, Staircase, Service shafts, Shafts for sanitary & water supply installations, Balcony, Projection, Terrace, parking space, space for DG set, over head and underground storage tank, Pump room, Architectural features, canopy, Chajja, area of loft etc. will not be counted in carpet Area. Landlord is advised to quote the rates as per carpet area while filling the price bid.

1.18 The floor area i.e, Ground floor with the corresponding rate for rent / taxes should be mentioned in the Price Bid. **The number of car parking spaces and two wheelers offered should be indicated separately.**

1.19 **The successful intending lessor should arrange to obtain the municipal license /NOC /approval of layouts etc from Local Civic Authority /collector / town planning etc. for carrying out the interior furnishing of the premises by the Bank.** Intending Lessor should also obtain the **completion certificate** from Municipal authorities after the **completion of interior furniture work.** The required **electrical power load of approximately 30-35 KW will also have to be arranged by the intending lessor at his/her cost** from the State Electricity Board or any other private electricity company in that area etc. and NOC and the space required for installation and running of the generator, provision of installation of AC Outdoors Units, Bank's Signage at front & side fascia, Earth stations, V-SAT, etc will also have to be provided within the compound by the bidders/ lessor at no extra cost to the Bank.

1.20 Intending **Lessor should obtain and furnish the structural stability certificate from the licensed structural consultant at his own cost.**

1.21 The intending lessor shall obtain/submit the proposal to Municipal Corporation/Collector/town planning etc. for the approval of plans immediately after receipt of approved plans along with other related documents so the interior renovation work can commence.

1.22 After the completion of the interior works, etc. the lease agreement will be executed and the rent payable shall be reckoned from the date of occupation. The lease agreement will include inter-alia, a suitable exit clause and provision of de-hiring of part/full premises.

1.23 **Rent should be inclusive of all present and future taxes what so ever,** Municipality charges, society charges, Maintenance charges and all other charges **except the GST** which will be paid extra.

1.24 Electricity Charges will be borne by the Bank but the provision for adequate water supply and its incidental costs should be maintained and borne by Landlord/ owner.

1.25 All civil works such as ATM Room, Toilets, Store room, Pantry with all accessories and doors etc. (additional / alteration) as per Bank's requirements, cash room with cash room door and ventilation as per Bank's

specifications, server room & UPS room made up of brick work, RCC locker room as per RBI specifications (locker room door and ventilator shall be

provided by the Bank), Rolling shutter, collapsible grill door at entry, ramp with SS(grade 304) railing for disabled/old people, **double charged white vitrified tile flooring**, inside and outside painting with acrylic emulsion paint / synthetic enamel paint etc., windows, safety grill etc as advised by the Bank directly or through Bank's appointed Architect will be carried out by landlords' at their own cost before handing over possession to the Bank, Landlords will submit approved plan, Competent Authority permission, structural stability and soundness certificate before possession by the Bank.

1.26 The landlord has to construct locker room as per RBI specifications are as follows:

Walls- R.C.C.1:1.5:3 [M20] 30 cm (12'') thick, reinforced with 12mm dia bars

@15 cm c/c both ways and on both faces, one such mesh placed staggered on both the faces of each wall in such a manner so as to make less than 75x75 C/C through openings.

Floor- R.C.C.1:1.5:3 [M20] 15 cm (6'') thick reinforced with 12mm dia bars @15cm, c/c both ways, over the existing plain cement concrete flooring for vaults in ground floor & over existing R.C.C. slabs in vaults in upper floor (the strength of the slab in such case will have to be checked to allow for the additional dead & super imposed load).

Ceiling- R.C.C.1:1.5:3 [M20] 30 cm (12'') thick, reinforced with 12mm dia bars @15 cm c/c both ways & on both faces, one such mesh placed staggered on both the faces of each wall in such a manner so as to make less than 75x75 C/C through openings.Strong room (steel) door & Ventilator shall be supplied by the Bank. Landlord has to arrange to fix the same while construction of the locker room at his own cost.

Note- Owner of the Building is sole responsible for the construction and stability of locker room. It is strictly advisable to construct locker room as per the instructions of the Structural Engineer of the Building for safety & stability. Stability Certificate by Competent Structural Engineer should be given to the Bank on completion of construction of locker room. Bank shall not be responsible for any loss or damage caused to the Building due to construction of locker room.

1.27 Plastic paint of walls, ceilings, enamel painting of doors and windows etc. as per the Bank's instructions shall be done by the owner/s after every two/three years failing which the Bank shall be at liberty to get the same done at the risk and cost of the owner/s and deduct all such relative expenses from the rent payable to the owner/s.

1.28 The owner shall carry out civil, sanitary and electrical, repair/maintenance works and ensure the roof remains water-tight during the lease

period. In case the above repairs are required and the owner/s fails to attend to the same, the Bank will carry out necessary repairs at the risk and cost of the owner/s and deduct all such relative expenses from the rent payable to the owner/s.

1.29 Interior works like loose furniture, drywall partition system, cubicles, cabins, false ceiling, AC, Lighting fixtures, signages, compactors for storage, electrical wiring for interior works etc. will be done by the Bank as per requirement.

Place:

Date:

Name & Signature of lessor with seal if any

DETAILS OF OFFER

OFFER SUBMITTED FOR LEASING PREMISES

With reference to your advertisement in the _____ dated _____
We hereby offer the premises owned by us for housing your branch / office on lease basis:

General Information:

Location as name of the nearest local railway station and its distance from the site

a.	Name of the Building	
a.1	Door No.	
a.2	Name of the Street	
a.3	Name of the City	
a.4	Pin Code	
b.	Name of the owner Address Name of the contact person Mobile no. Email address	

Technical Information (Please mark at the appropriate option)

- a. Building - Load bearing ----- Frame Structure
- b. Building - Residential ----- Institutional ----- Industrial
-----Commercial
- c. No. of floors
- d. Year of construction and age of the building
- e. Floor of the offered premises

Level of Floor	Built Up area
Ground Floor	
Total Area	

Note- The rentable area shall be in accordance with the one mentioned under clause/para 1.17 of Technical Bid.

Building ready for occupation If no, how much time will be required for occupation ----- ----- with end date.	Yes/No
Amenities available	Yes/No
Electric power supply and sanctioned load for the floors Offered in KW (Mentioned)	Yes/No
Running Municipal Water Supply	Yes/No
Whether plans are approved by the local authorities Enclose copies	Yes/No
Whether NOC from the department has been received	Yes/No
Whether occupation certificate has been received Enclose copy	Yes/No
Whether direct access is available, if yes give details	Yes/No
Whether fully air conditioned or partly air conditioned	Yes/No
Whether lift facilities are available	Yes/No
No. of car parking/scooter parking which can be offered exclusively to the Bank.	Yes/No

* **Please enclose plans/ layouts of the building.**

Declaration

We have studied the above terms and conditions and accordingly submit our offer and will abide by the said terms and conditions in case our offer of premises is accepted.

I/ We also agreed to construct/ addition/ alteration i.e. locker room, cash safe room, record room, toilets and pantry with all fittings and fixtures, vitrified flooring, other works as per Bank's specifications and requirement.

Place:

Name and signature of lessor with

Date:

ANNEXURE – I

PREMISES REQUIRED ON LEASE

Parameters based on which technical score will be assigned by SBI.

(NOT TO BE FILLED BY THE PROSPECTIVE LANDLORD)

Hiring of Commercial Building **approx. 500 sq.mt. at Azamgarh**

Sl. no	Parameters	Actual situation	Total Marks	Marks Obtained
1	Area of premises:	5300 sqft in one single floor Ground floor : 20 5300 sqft premises possible in GF +1 st floor : 10	20	
2	Plot/Premises Location	On main /Wide road : 20 Inner Side from Main Road: 10	20	
3	Plot /Existing Building	*Existing building with possibilities of modification for currency chest as per RBI specification : 20 *Open Plot without any existing structure : 15 *Existing Premises without any Possibility of modification for currency chest as per RBBI specification : 00	20	
4	Plot/Premises Frontage from road	>=60 feet = 10 >=50feet = 07 >40feet = 05 >=30feet = 00	10	
5	Covered Parking /Built up exclusive parking for SBI (Allotted Parking)	1. 2 four wheeler +10two wheeler : 10 2. 1 Four wheeler +08 two wheeler : 07 3. 0Four wheeler +05 two wheeler : 05 4. 1 Four wheeler +05 two wheeler : 03 5. No parking : 00	10	
6	Surrounding of plot of building	Adequate natural light and ventilation : 10 In - Adequate natural light and ventilation : 10	10	
7	Ambience, convenience and suitability of plot as assessed by Premises Selection Committee	As assessed by Premises Selection Committee.	10	
	Total		100	

* If a bidder scores 00 marks in any of the above-mentioned criteria, his/her offer will be disqualified and PRICE BID of such bidder will NOT be opened.

ANNEXURE – II

RBI SPECIFICATIONS FOR CONSTRUCTION OF CURRENCY CHEST

Construction of currency Chests by banks-

CLASS-‘AAA’

Technical specification of cconstruction of currency chest (CCs) Strong Room Vault by Bank

As per RBI guidelines/ specifications provided Vide RBI
DCM(CC)NO.1152/03.39.01/2019-20 dated 04/12/2019.

Geographical location of Currency chest at basement and ground floors of the building Metro city, State capital and District HQ.

Vault Class		AAA	
Application	Wealth Level	High	
	Risk Level	High	
Main door with time-lock [see IS 11188 (part-1) for construction details] to be fixed on front side. (To be provided by Bank)		Class “AAA”	
Emergency door [see IS 11188 (part-1) for construction details] is to be provided and fixed on back side as per the layout prepared by the bank's Architect /Structural consultant .(To be provided by Bank)		Class “AAA”	
Internal clear usable size without obstructions (HxWxD)		Min (1500 sq ft area),clear Height 3000mm	
		Or else, larger size as may be required by the user	
Construction shall be done as per the design of the Structural Consultant subject to minimum requirements given here for achieving burglary resistance against attack by common hand-held/ picking / impact / portable electric/ hydraulic /concrete cutting / drilling tools, pressure applying device, power saws, etc; fire résistance against gas cutting torch, fixing rods etc; fire hose stream re-heat endurances against	Wall thickness	450mm , min	
	Floor and Roof	450mm, min	
	Concrete mix (see IS 456)	M50, min	
	Steel Grid in wall floor and roof	Bar Dia	20mm
Mesh		Mesh made by placing and tying rebar at 200x200 c/c both ways; one such mesh placed staggered on both the faces of each wall, floor and roof, In such a manner so as to make	

Signature and Seal of applicant

Page 14


exposure to major fire and fire-fighting water stream/jet etc.		less than 100x100 c/c through openings
	Twisted tang bars laid with staggered joints & 25 mm overlap (min)	2 Row in Walls, 2 Layer in Floor, 2 Layer in Roof
Surveillance passage /Patrol Corridor	1150, Min for Front and Back, 750 Min for sides	
Security Ventilator (see IS 14387) / Exhaust fan.(To be provided by Bank)	Height from Floor Level: 2100, Min. Opening Size; 450x450, Max	

Instructions for Laying the Tang Bars

- Tang Bar strips are punched to form a double comb and are supplied in untwisted condition.
- Twist the Tang Bar in a spiral forming fang projection in all direction.
- Lay the twisted Tang Bars side by side or one over the other, such that the fangs overlap and inter lock with each other

The Tang Bar are to be laid horizontally in two rows on 178 mm (7") centers for 305 mm (12"), 457 mm (18"),610 mm (24") RCC wall respectively.

SAMPLE LAOUT OF CURRENCY CHEST (STRONG ROOM)



PRICE BID

COVER -II

(To be submitted in a separate sealed envelope)

State Bank of India,
Regional business Office (RBO-V),
Azamgarh ,Raidopur, Dist-Azamgarh- 276001

PREMISES REQUIRED ON LEASE FOR SHIFTING OF AZAMGARH BRANCH

Price Bid shall open only for technically qualified bidders parameters based on which technical score will be assigned by SBI.

S.N.	Location of building	Area (Sq.mt)	Rate per sq mt. (Inclusive of all taxes) (In figure & words)

I/we have carefully persued the aforesaid terms and conditions and agree to abide by the same in the event of our offer is accepted by SBI.

Signature of applicant with name & address and **mobile No.**