

The Authorised Officer's Details:

Name :-Manojkumar, Asst Gen Manager

e-mail ID:- clo1samb.che@sbi.co.in e-mail ID:- sbi.04105@sbi.co.in

## STATE BANK OF INDIA STRESSED ASSETS MANAGEMENT **BRANCH, CHENNAI**

"Red Cross Building" 32, Red Cross Road, Egmore, Chennai - 008


Ph: 9445395289/9805622640

## NOTICE FOR SALE OF MOVABLE & IMMOVABLE PROPERTIES

E-Auction Sale Notice for Sale of Movable and Immovable Assets under the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 read with proviso to Rule 6(2) & 8 (6) of the Security Interest (Enforcement) Rules, 2002.

Notice is hereby given to the public in general and in particular to the Borrower (s) and Guarantor (s) that the below described immovable property/ies mortgaged/charged to the Secured Creditors, the constructive possession of which has been taken by the Authorised Officer of State Bank of India being the Secured Creditors, will be sold on "As is where is", "As is what is", and "Whatever there is" basis on 20.11.2024 and 22.11.2024 for recovery of Rs. 87,11,34,121/- (Rupees Eighty Seven Crores Eleven Lakhs Thirty Four Thousand One Hundred and Twenty One Only) as on 25.10.2024 plus unapplied interest from the date 26.10.2024 and costs due State Bank of India from M/s. Arjun Pulp and Paper (India) Private Limited having its Registered Office at S.no.23, 101, Thandalam Group, Velanthangal Village, Irungattukotai, Sriperumbadur 602105 and also at RVI Tower, 149- Velacherry Tambaram High Road, Pallikaranai, Chennai -100 Factory at 74, Thuvarasi Village, Velsamypuram, Vaduganpattipost, Tirunelveli 627006 Represented by its Managing Director its personal guarantor 1. Shri. P. residing at Door No: 149, RVI Towers, II Floor, Velacherry, Chandra Sekhar Tamabaram High Road, Pallikaranai, Chennai –100 and corporate guarantors M/s. Arjun Chemicals Private Limited (Represented by Resolution Professional) Regd. Office: 94(85)- GN Chetty Road, T. Nagar, Chennai – 600 017 also at RVI Towers 149. Velachery – Tambaram High Road Pallikaranai, Chennai- 600 100 and M/s. C.P Engineering India Private Limited (Represented by its Managing Director) Robert V Chandran Towers, 2nd Floor, 149, Velachery - Tambaram High Road Pallikaranai, Chennai- 600 100. The undersigned Authorised Officer of State Bank of India is authorised to issue this sale notice for conducting the sale of the following secured properties under SARFAESI Act, 2002.

# **DESCRIPTION OF PROPERTY/IES:**



Plant & Machinery, located in factory at S.No 19 & 20 Thuvarasi Village, Tirunelveli Taluk, Tirunelveli District as listed in Annexure 1 uploaded in the link provided in <a href="https://ebkray.in">https://ebkray.in</a> & https://sbi.co.in/web/sbi-in-the-news/auction-notices/sarfaesi-and-others

#### PROPERTY NO 2

### (This property will be brought for sale only if Property 1 is sold)

## Scan for Property Link



## Scan for Auction link



**Factory Land and Building at Thuvarasi, Tirunelveli:** All that piece and parcel of lands with factory building situated at No.74 Thuvarasi Village, Tirunelveli Taluk, Tirunelveli District Comprised in:

- 1. Punja Survey No.19, measuring an extent of 19 acres and 42 Cents covered under Patta No.21.
- 2. Punja Survey No. 20, measuring an extent of 37 Acres and 95 cents covered under Patta No.20.

1&2 in all admeasuring an extent of **57 acres and 37 Cents** or thereabouts, situated within the Sub-Registration District of Pettai and Registration District of Tirunelveli in the name of M/s Arjun Pulp and Paper India Private Ltd

Encumbrance known to the bank if any: NIL

		Property 1	Property 2		
DATE OF E-AUCTION		20.11.2024	22.11.2024		
RESERVE PRICE		Rs.13,82,00,000/-	Rs.9,50,00,000/-		
EMD		Rs.1,38,20,000/-	Rs.95,00,000/-		
BID MULTIPLIER		Rs.25,00,000/-	Rs.10,00,000/-		
<b>INSPECTION OF PROPE</b>	RTIES	08.11.2024 between 11:00	o am and 4:00 pm		
TIME OF E-ALICTION : 10	OOO AM t	0.04·00 PM			

The auction will be conducted online only, through the web portal <a href="https://ebkray.in">https://ebkray.in</a>. The bidder registration should be completed by bidder well in advance.

For detailed terms and conditions of the E-auction sale, steps to be followed by the bidder for registering with e-auction portal and for E-Auction tender document containing online e-auction bid form, Declaration etc, please refer to the link provided in <a href="https://ebkray.in">https://ebkray.in</a> & <a href="https://ebkra

Date: 29.10.2024 Place: Chennai -SD-Authorised Officer

# THE TERMS AND CONDITIONS OF SALE

# Properties will be sold on "AS IS WHERE IS, AS IS WHAT IS AND WHATEVER THERE IS" Basis

1	Name and address of the Borrower	having its <b>Registered Office</b> Group, Velanthangal Sriperumbadur 602105 Re Director	e at S.no.23, 101, Thandalam Village, Irungattukotai, presented by its Managing
1 0	Name and address of Branch, the secured creditor	State Bank of India, Stressed Branch, Red Cross Building, Egmore, Chennai - 8	
		PROPER	PTY NO 1
		Scan for Property Link	Scan for Auction link
	Description of the immovable secured assets to be sold.		
		_	eli Taluk, Tirunelveli District
		https://ebkray.in & https	aded in the link provided in ://sbi.co.in/web/sbi-in-the-
		news/auction-notices/sarfaesi-and-others	
		PROPERTY NO 2	
		(This property will be brought for sale only if Property 1 is sold)	
		Scan for Property Link	Scan for Auction link
3			
		Tirunelveli District Comprise 1. Punja Survey No.19, mea and 42 Cents covered unde 2. Punja Survey No. 20, mea and 95 cents covered under 1&2 in all admeasuring an Cents or thereabouts, so Registration District of Petta	f lands with factory building si Village, Tirunelveli Taluk, ad in: suring an extent of 19 acres r Patta No.21. asuring an extent of 37 Acres Patta No.20. extent of 57 acres and 37

4	Details of the encumbrances known	Nil		
	to the secured creditor.	1411		
	The secured debt for recovery of	Rs. 87,11,34,121/- (Rupees Eighty Seven Crores Eleven		
	which the	Lakhs Thirty Four Thousand One Hundred and Twenty		
5	property is to be sold	One Only) as on <b>25.10.2024</b> plus unapplied interest and		
		costs from the date 26.10.2024		
6		Prop	erty 1	Property 2
	Reserve Price	Rs.13,82,00		Rs.9,50,00,000/-
	Earnest Money to be deposited	Rs.1,38,20	0,000/-	Rs.95,00,000/-
	·	EMD: 10% of the reser	ve price	e shall be deposited to credit
7	EMD to be remitted:	of EBkray E-WALLET	•	•
	Bank account in which the	On successful bid, the	remair	ning part of successful bid
	payment to be remitted	amount should be paid	throug	h RTGS/NEFT/NET
		BANKING/FUND TRAN	NSFER	to the A/c No.:
		30319576399 IFSC: \$	SBIN00	00878 NAME:SBI SAMB
		CHENNAI, Bank : State	e Bank	of India.
		The successful bidder s	shall de	posit 25% of sale price, after
				aid, immediately, i.e. on the
		_		ext working day, as the case
				of the offer by the Authorised
		_ ·		est money deposited by the
8	Time and manner of payment	bidder shall be forfeited	l. The B	alance 75 % of the sale price
		is payable on or before	the 15	th day of confirmation of sale
				extended period as may be
		agreed upon in writing	betwee	en the Secured Creditor and
		the e-Auction purchase	er not e	xceeding three months from
		the date of e-auction.		
	Time and place of public e-auction	Property No 1	F	Property No 2
9	or time after which sale by any	10:00 Hrs to 16:00 Hrs	. /	10:00 Hrs to 16:00 Hrs.
	other mode shall be completed.	Online	C	Online
		20.11.2024		22.11.2024
	The auction will be conducted online			
1 1 N	For detailed terms and conditions of		-	=
	registering with e-auction portal and			=
1	bid form, Declaration etc, pleas		-	
	https://sbi.co.in/web/sbi-in-the-news/	auction-notices/sarfaes		
	(i) Bid increment amount:			rty No1:Rs.25,00,000/-
11	(ii) Auto extension: times.(limited /unlimited)		Unlimit	rty No2:Rs.10,00,000/-
	(II) Auto extension: times.(IIIIIItea/dillillillea)			leu
	(iii) Bid currency & unit of measurement		INR	2024 hotucon 44:00 llm 4-
12	12 <b>Date and Time</b> during which inspection of the immovable secured assets to be sold and intending bidders should		08.11.2024 between 11:00 Hrs to 16.00 Hrs	
	satisfy themselves about the assets	•	16.001	HIS
	specification.	and then		
	Contact person with mobile number		Name:	Manojkumar
	Solitade person with mobile number			No.9805622640.
			Shrina	
				No.9445395289.
			INIODIIE	NO.344333J203.

#### 13 Other conditions

(a) Intending bidders shall hold a valid e-mail address and mobile number. Intending bidders shall register with the e-auction portal to create their user ids and passwords. Registration is one time activity and a bidder can participate in any number of e-auctions with one registration only. Registration involves a process of the bidder filling up an online form and then submitting KYC Documents

**NOTE:** Registration to be completed by bidder well in advance, before e-auction date to avoid last minute issues. Contact details of EBkray – Email:support.ebkray@psballiance.com. Phone:-+91-8291220220

- (b) The successful bidder shall be required to submit the final prices, quoted during the e-Auction as per the annexure after the completion of the e-Auction, duly signed and stamped as token of acceptance without any new condition other than those already agreed to before start of e-Auction.
- (c) In case of unsuccessful/failed bid, the bidder has to give request for refund of EMD in the website and it will be refunded. Please note that the bidders will not be entitled to claim any interest, cost, expenses and any other charges.
- (d) During e-Auction, if no bid is received within the specified time, State Bank of India at its discretion may decide to revise opening price / scrap the e-Auction process / proceed with conventional mode of tendering.
- (e) The Bank / service provider for e-Auction shall not have any liability towards bidders for any interruption or delay in access to the site irrespective of the causes.
- (f) The bidders are required to submit acceptance of the terms & conditions and modalities of e-Auction adopted by the service provider, before participating in the e-Auction.
- (g) The bid once submitted by the bidder, cannot be cancelled/withdrawn and the bidder shall be bound to buy the property at the final bid price. The failure on the part of bidder to comply with any of the terms and conditions of e-Auction, mentioned herein will result in forfeiture of the amount paid by the defaulting bidder.
- (h) Decision of the Authorised Officer regarding declaration of successful bidder shall be final and binding on all the bidders.
- (i) The Authorised Officer shall be at liberty to cancel the e-Auction process / tender at any time, before declaring the successful bidder/confirmation of sale, without assigning any reason.
- (j) The bid submitted without the EMD shall be summarily rejected. The property shall not be sold below the reserve price.
- (k) The conditional bids may be treated as invalid. Please note that after submission of the bid/s, no correspondence regarding any change in the bid shall be entertained.
- (I) The EMD of the unsuccessful bidder will be refunded from global EMD wallet to their respective A/c numbers shared with global EMD wallet. The bidders will not be entitled to claim any interest, costs, expenses and any other charges (if any).
- (m)The Authorised Officer is not bound to accept the highest offer and the Authorised officer has absolute right to accept or reject any or all offer(s) or adjourn / postpone / cancel the e-Auction without assigning any reason thereof. The sale is subject to confirmation by the secured creditor.
- (n) In case of forfeiture of the amount deposited by the defaulting bidder, he shall neither have claim on the property nor on any part of the sum for which may it be subsequently sold.
- (o) The successful bidder shall bear all the necessary expenses like applicable GST, applicable stamp duties / additional stamp duty / transfer charges, Registration expenses, fees etc. for transfer of the property in his/her name.

- (p) The payment of all statutory / non- statutory dues, taxes, rates, assessments, charges, fees etc., owing to anybody shall be the sole responsibility of successful bidder only.
- (q) In case of any dispute arises as to the validity of the bid (s), amount of bid, EMD or as to the eligibility of the bidder, authority of the person representing the bidder, the interpretation and decision of the Authorised Officer shall be final. In such an eventuality, the Bank shall in its sole discretion be entitled to call off the sale and put the property to sale once again on any date and at such time as may be decided by the Bank. For any kind of dispute, bidders are required to contact the concerned authorised officer of the concerned bank branch only.
- (r) Successful auction purchaser has to deduct TDS in the name of the owner of the said property and remit it to Income Tax Department as per section 194 IA of Income Tax Act and only 99% of the Sale Price has to be remitted to the Bank. Sale Certificate shall be issued only on receipt of Form 26QB & Challan for having remitted the TDS.
- (s) To facilitate the auction purchaser to deduct TDS and furnish Form 26QB & Challan as above, the Authorized Officer will furnish the PAN of the owner of the property to the purchaser. As per the provisions of Section 206 AA of the Income Tax Act, 1961, in the absence of PAN of the deductee (owner of the property), purchaser would be required to deduct TDS at the higher rate prescribed under the said Section.
- (t) The sale certificate shall be issued after receipt of entire sale consideration and confirmation of sale by secured creditor. The sale certificate shall be issued in the name of the successful bidder. No request for change of name in the sale certificate other than the person who submitted the bid / participated in the e-Auction will be entertained.

-SD-

Date: 29.10.2024 Asst. General Manager & AUTHORISED OFFICER

# Annexure-1 List of Plant and Machinery at Factory Land and Building at Thuvarasi, Tirunelveli:

S.No	Description of Machinery	Qty
	COAL HANDLING SYSTEM	
1	Coal Screener - Size - 5 Mtr x 1Mtr with Belt Conveyor - 800mm,	1
	Belt Conveyor - 800 mm Width (Coal Feed Conveyor to Crusher) - 30 Mtr	
2	Length approx	1
3	Coal Return Conveyor - 600 mm Width, Length - 27 Mtrs Approx	1
4	Conveyor Supporting Structure	1
5	Coal Crusher - Capacity - 5 TPH & Accessories	1
	PULPING SECTION	
	Pulp Line 1	
	Raw Material Slotted Angle Conveyor - 1.25 Mtr Width & 15 Mtr Length	
1	Gearbox, Supporting structure	1
	Hicon Pulper Machine - 6m3 - 8m3 without motor, Rotating Blade, Pnematic	
2	Screw open/Close Values & Pulper Pump & Accessorirs	1
	Chest 1 & 2 - SS Tank - Dia - 4.5 Mtr, Height - 6.0 Mtr, Pump (Samturbo) -	
3	Size - 150x100, 107M3/Hr, 39 Mtrs Head	2
4	Agitator with drive Shaft - without motor	1
	Pump with Pnumetic operative Values, Flow Control Value, dismantled	
5	electrical wires and panels	Lot
6	HD Cleaner without motor	
7	Chest 3, 4 & 5 - SS Tank - Dia - 3.8 Mtr, Height - 6.0 Mtr	3
8	Agitator without motor for Chest 3 & 4	1
9	No Agitator motor for Chest 5	1
10	Agitator without motor for Chest 6	1
	Chest Pump (Samturbo) - Size - 180X260, 90M3/Hr, 18Mtrs Head without	
11	motor for Chest 3, 4 & 5	1
12	Chest 6 - SS Tank - Dia - 4.5 Mtr, Height - 6.5 Mtr with Pump	1
13	MOSCOT Pneumatic Actuators	1
	Pulp Line 2	
	Raw Material Slot Angle Conveyor - 1.25 Mtr Width & 15 Mtr Length	
1	without motor, Gearbox	1
	Hydra Pulper Machine - 20m3 without motor, Rotating Blade, Pneumatic	
2	Screw open/Close Valves, Pulper Pump & Accessories, Sr No.P863964F	1
3	HD Refiner without motor	1
	Chest 1 to 3 - SS Tank - Dia - 3.8 Mtr, Height - 6.0 Mtr with Pump &	
4	Agitator - without motor	3
5	Vibro Screener without Motor	1
6	HD Refiner without motor, Sr no.18092, cap- 0.6 m3	1
7	HD Refiner without motor, Sr no.1001, cap -1.2 m3	1
	Chest 3 & 4 - SS Tank - Dia - 3.8 Mtr, Height - 6.0 Mtr with idle Pump,	
8	without Motor, Agitator	2
9	Flow Transmittor - BTG, pneumatic operated valve -wires removed	1
10	Chemical dosing Tank	1
	Pipeline System, Pulp line Platform, Cable Tray - 45 Mtrs Length - 19.5 Mtrs	
11	Width	1 Lot
	VACCUM PUMP SECTION	
1	Vaccum Pump without motor, Sr No.4715	1

2	Vaccum Pump without motor	1
3	Vaccum Pump without motor	1
3	Spare Items near Refiner (Pulp Area)	1
1	Tool Stand	1
2	Motor bed	1
3	MS Tool box	5
4	MS Rolls	
5	MS Working table with Vice	1
		1
1	Outside the building Poire Parason - without motor , Sr No.0006	1
2	Poire Pump - 34.5 KW, 270m3/hr, 22 M head	1
3	Tank - 5.40 x 1.50 x 2.20 Mtr	<del></del>
3	PAPER MACHINE	1
1	Vibro Screen without motor	1
2	EOT Crane - 20 Ton (10 + 10), Sr No.4126 without motor	1
3	HD Refiner without motor	
		1 2
5	Pressure fan with Agitator & without motor  Header with pump & without motor	2
		4
6	Broke Vessel without motor & Pump	1
7	Centricleaner - Primary - 8 Cone with feed Pump & 75 KW motor	1 1
8	Centricleaner - Secondry - 2 Cone with feed Pump & without motor	1 1
9	Centricleaner - Tertiary - 1 Cone with feed Pump & without motor	1
10	Head Box - Hydraulic type head box, taper manifold, Lip adjusting jack, Pressure screen lines	1
10		1 1
11	Vaccum Table with Air pipeline	2
13	Pickup box, Blind Couch Roll, Oscillatary Doctor blade	2
14	Press Part with sucton couch roll, doctor blkades, felt roll, Pnematic	1
14	arrangement, Press Part with drive motor 250 Hp & Gearbox  MG Cylinder Hood (Wet hood & dry Hood) with Steam Circulation (Wet &	1
15	Dry) fan - 2 Nos with Heat Exchanger & Ducting,	1
16	FRP Cooling tower for MG cylinder	1
17	Pope Reel - Pool lock, reel break, reel spool, control panel damaged	1
18	MG Lubricating oil System - 150 LPM, Heat Exchanger-1No, Filter - 2 Nos	1
19	Chemical Coating Section - Vessel with Agitator, No motor	1 Lot
20	Pipelines, supporting structures & others	1 Lot
20	REWINDER MACHINE	1 L01
	Rewinder Machine I without motor, No hydraulic pac motor, Pnuematic	
1	Break System, jumbo Roll, Back stand - 2 Nos & Accessories	1
1	Rewinder Machine II- with missing parts, without motor, control panel	1
2	without electrical parts, muissing machine parts and dismantle condition	1
3	Pallet packing Machine without motor in dismantle condition, Sr No.94086	1
4	Weigh Scale - 3000 Kgs	1
	BOILER SECTION	1
1	M S Coal Bunker with structure	1
2	Coal Feeder - Direct Feeder & rotary recycle,	1
3	Screw Feeder - 4 inlet from bottom	1
4	Screw Feeder for Direct Feeder	1
7	Combipac Boiler - 8000 Kg/Hr, Max Pressure - 17.15 bar & Accessories, Sr	1
5	No.80/17.5/41	1
J	110.00/11/.J1	1

7 Circulating MS Tank 8 Bag Filter 1 9 FD fan - without motor 1 10 Dust Scrubber 1 11 ID fan with centrifugal blower- without motor 1 12 FD fan with centrifugal - 40/13 - without motor 1 13 Boiler Feed Pump - 7.5 KW HPP 2 14 Fluid Heater Oil pump - 120 m3/h with motor - 37 KW 1 15 Emergency Oil Pump with Diesel engine 1 16 Blower Fan Pump - 120 CMM without motor 1 17 Sintex Tank - 5000 Ltrs 1 18 FD Fan - FTFL without motor & Scrubber Collection Tank 1 19 FD Fan - Bunker with motor & Scrubber Collection Tank 1 10 FD Fan - Bunker with motor & Scrubber Collection Tank 1 10 FD Fan - Bunker with motor & Scrubber Collection Tank 1 11 Insulated Steam Line from boiler to paper machine - 348 Mtrs, Thermic Fluid 1 12 Line - 2 Nos - 348 Mtrs, supporting structure 2 12 Boiler ground Floor 2 13 Slotted angle rack 2 14 Air receiver tank - 600 lits 2 15 Panel Room - Panel Room - Panel for Combipac & Thermipac-MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter 2 23 Control Panel - 2 Nos, Panel Desk without Computer 1 24 SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor 1 25 Lottle Panel Room - Panel R		TI : TI : 111	1
8	6	Thermic Fluid Heater - 2000000 Kcal/Hr & Accessories, Sr No.20/114	1
P		· · · · · ·	
10   Dust Scrubber   1   ID fan with centrifugal blower- without motor   1   ID fan with centrifugal - 40/13 - without motor   1   ID fan with centrifugal - 40/13 - without motor   1   ID fan with centrifugal - 40/13 - without motor   1   ID fan with centrifugal - 40/13 - without motor   1   ID fan with centrifugal - 40/13 - without motor   2   ID fan			1
11   ID fan with centrifugal blower- without motor   1   12   FD fan with centrifugal - 40/13 - without motor   1   13   Boiler Feed Pump - 7.5 KW HPP   2   2   14   Fluid Heater Oil pump - 120 m3/h with motor - 37 KW   1   15   Emergency Oil Pump with Diesel engine   1   16   Blower Fan Pump - 120 CMM without motor   1   17   Sintex Tank - 5000 Ltrs   1   18   FD Fan - FPL without motor & Scrubber Collection Tank   1   19   FD Fan - Bunker with motor & Scrubber Collection Tank   1   19   FD Fan - Bunker with motor & Scrubber Collection Tank   1   10   10   10   10   10   10   10			1
12   FD fan with centrifugal - 40/13 - without motor   1   13   Boiler Feed Pump - 7.5 KW HPP   2   2   4   Fluid Heater Oil pump - 120 m3/h with motor - 37 KW   1   1   1   1   1   1   1   1   1			1
Boiler Feed Pump - 7.5 KW HPP			_
Fluid Heater Oil pump -120 m3/h with motor - 37 KW		FD fan with centrifugal - 40/13 - without motor	-
15		•	
16   Blower Fan Pump - 120 CMM without motor   1   1   1   1   1   1   1   1   1			1
17   Sintex Tank - 5000 Ltrs   1   18   FD Fan -TFL without motor & Scrubber Collection Tank   1   19   FD Fan -Bunker with motor & Scrubber Collection Tank   1   20   common Chimney - 30 Mtrs Height   1   Insulated Steam Line from boiler to paper machine - 348 Mtrs, Thermic Fluid   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Lot   Line - 2 Nos - 348 Mtrs, supporting structure   Lot   Lo			1
FD Fan -TFL without motor & Scrubber Collection Tank   1			_
19 FD Fan -Bunker with motor & Scrubber Collection Tank   1			1
Common Chimney - 30 Mtrs Height   Insulated Steam Line from boiler to paper machine - 348 Mtrs, Thermic Fluid Line - 2 Nos - 348 Mtrs, supporting structure   Lot Lot			1
Insulated Steam Line from boiler to paper machine - 348 Mtrs, Thermic Fluid Line - 2 Nos - 348 Mtrs, supporting structure  22 Boiler ground Floor a Slotted angle rack b Air receiver tank - 600 lits  Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer  Outside Near Entrance Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section 1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available 2 Screw Compressor -Missing compressor parts only MS frame are available 3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 4 Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available 3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 4 Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available 5 MS Tool Box -empty 1 MS Tool Box -empty 1 MS Tool Box -empty 1 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 1 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 2 Filter Press missing parts condition			1
Line - 2 Nos - 348 Mtrs, supporting structure	20		1
Solited angle rack   2   2   3   Air receiver tank - 600 lits   Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer   LOT			
a Slotted angle rack b Air receiver tank - 600 lits Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer  Control Panel - 2 Nos, Panel Desk without Computer  Eibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section  Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available  Screw Compressor - Missing compressor parts only MS frame are available Air Dryer - 448 CFM-Missing dryer parts only MS frame are available Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available Au Feet Container  Water Treatment Plant Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty MS Tank with Agitator RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition) RRP Tanks ETP Primary Clarifier Tank & agitator without motor Filter Press missing parts condition		11	Lot
b Air receiver tank - 600 lits  Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer  Dutside Near Entrance Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section  Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available Screw Compressor - Missing compressor parts only MS frame are available Air Dryer - 448 CFM-Missing dryer parts only MS frame are available Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available  Water Treatment Plant Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty MS Tank with Agitator RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition) RRP Tanks Filter Press missing parts condition	22		
Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer  Dutside Near Entrance Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section  Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available Screw Compressor - Missing compressor parts only MS frame are available Air Dryer - 448 CFM-Missing dryer parts only MS frame are available Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available Water Treatment Plant Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty MS Tank with Agitator RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition) RRP Tanks ETP Primary Clarifier Tank & agitator without motor Filter Press missing parts condition	a		2
PARTS, Coal Conveyor Panel-MISSING PARTS, MCC cum bag filter Control Panel - 2 Nos, Panel Desk without Computer  Dutside Near Entrance Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section  Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available Screw Compressor -Missing compressor parts only MS frame are available Air Dryer - 448 CFM-Missing dryer parts only MS frame are available Air receiver Tank - 2000 Ltrs Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available  Mater Treatment Plant Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor MS Tool Box -empty MS Tank with Agitator RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition)  RRP Tanks ETP Primary Clarifier Tank & agitator without motor Filter Press missing parts condition	b	Air receiver tank - 600 lits	1
Control Panel - 2 Nos, Panel Desk without Computer   LOT		Panel Room - Panel Room - Panel for Combipac & Thermipac- MISSING	
Outside Near Entrance   Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate   SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor   1 Lot   UTILITY   Vaccum Pump Section   1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor   2 COMPRESSOR   Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available   1   2   Serew Compressor - Missing compressor parts only MS frame are available   1   4   Air receiver Tank - 2000 Ltrs   2   Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-   Missing compressor parts only MS frame are available   3   6   40 Feet Container   2   Water Treatment Plant   5   Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor   1   RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank   MS, MCC Panel (Damaged Condition)   1   5   RRP Tanks   2   ETP   1   Primary Clarifier Tank & agitator without motor   1   2   Filter Press missing parts condition   1			
Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor UTILITY  Vaccum Pump Section  1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor 2  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available 1  2 Screw Compressor - Missing compressor parts only MS frame are available 2  3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 1  4 Air receiver Tank - 2000 Ltrs 2  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-Missing compressor parts only MS frame are available 3  6 40 Feet Container 2  Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 1  2 MS Tool Box -empty 1  3 MS Tank with Agitator 1  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition) 1  5 RRP Tanks 2  ETP  1 Primary Clarifier Tank & agitator without motor 1  2 Filter Press missing parts condition 1	23	Control Panel - 2 Nos, Panel Desk without Computer	LOT
1 SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor  UTILITY  Vaccum Pump Section  1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available  2 Screw Compressor - Missing compressor parts only MS frame are available  3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available  4 Air receiver Tank - 2000 Ltrs  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-  Missing compressor parts only MS frame are available  3 40 Feet Container  Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  2 MS Tool Box -empty  3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  1 RRP Tanks  2 ETP  1 Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition			
UTILITY  Vaccum Pump Section  1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor 2  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available 1  2 Screw Compressor - Missing compressor parts only MS frame are available 2  3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 1  4 Air receiver Tank - 2000 Ltrs 2  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-  Missing compressor parts only MS frame are available 3  6 40 Feet Container 2  Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 1  2 MS Tool Box -empty 1  3 MS Tank with Agitator 1  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition) 1  5 RRP Tanks 2  ETP  1 Primary Clarifier Tank & agitator without motor 1  2 Filter Press missing parts condition 1		Fibre Recovery System - Scope with Scrubber - Pump, Sludge Tank, Filtrate	
Vaccum Pump Section1Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor2COMPRESSORScrew Compressor Sr No.752608 - Missing compressor parts only MS frame1are available12Screw Compressor - Missing compressor parts only MS frame are available23Air Dryer - 448 CFM-Missing dryer parts only MS frame are available14Air receiver Tank - 2000 Ltrs2Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-35Missing compressor parts only MS frame are available3640 Feet Container2Water Treatment Plant1Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor12MS Tool Box -empty13MS Tank with Agitator1RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank4MS, MCC Panel (Damaged Condition)15RRP Tanks2ETP1Primary Clarifier Tank & agitator without motor12Filter Press missing parts condition1	1	SS Water Tank, 20 M3 fresh SS Water Tank all without pump & motor	1 Lot
1 Vaccum Pump - Cap - 160 m3/min, Sr No.1020, 1019 - without motor  COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available  1 Screw Compressor - Missing compressor parts only MS frame are available  2 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available  4 Air receiver Tank - 2000 Ltrs  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-  Missing compressor parts only MS frame are available  3 Missing compressor parts only MS frame are available  40 Feet Container  Water Treatment Plant  Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty  MS Tool Box -empty  MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank MS, MCC Panel (Damaged Condition)  RRP Tanks  2 ETP  Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition		UTILITY	
COMPRESSOR  Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available  1 Screw Compressor - Missing compressor parts only MS frame are available  2 Screw Compressor - Missing dryer parts only MS frame are available  3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available  4 Air receiver Tank - 2000 Ltrs  5 Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available  3 40 Feet Container  2 Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  1 MS Tool Box -empty  3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  5 RRP Tanks  2 ETP  1 Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition			
Screw Compressor Sr No.752608 - Missing compressor parts only MS frame are available  2 Screw Compressor - Missing compressor parts only MS frame are available  3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available  4 Air receiver Tank - 2000 Ltrs  5 Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available  5 Missing compressor parts only MS frame are available  6 40 Feet Container  2 Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  1 MS Tool Box -empty  3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  4 MS, MCC Panel (Damaged Condition)  5 RRP Tanks  2 ETP  1 Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition	1	* *	2
1 are available 1 2 Screw Compressor -Missing compressor parts only MS frame are available 2 3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 1 4 Air receiver Tank - 2000 Ltrs 2 5 Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- 5 Missing compressor parts only MS frame are available 3 6 40 Feet Container 2  Water Treatment Plant 3 1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 1 2 MS Tool Box -empty 1 3 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 1 5 RRP Tanks 2 ETP 1 1 Primary Clarifier Tank & agitator without motor 1 2 Filter Press missing parts condition 1		0.0111111111111111111111111111111111111	
2 Screw Compressor -Missing compressor parts only MS frame are available 3 Air Dryer - 448 CFM-Missing dryer parts only MS frame are available 4 Air receiver Tank - 2000 Ltrs 2 Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- 5 Missing compressor parts only MS frame are available 3 6 40 Feet Container 2 Water Treatment Plant 1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 1 2 MS Tool Box -empty 3 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 5 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 2 Filter Press missing parts condition			
Air Dryer - 448 CFM-Missing dryer parts only MS frame are available  4 Air receiver Tank - 2000 Ltrs  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-  Missing compressor parts only MS frame are available  3 40 Feet Container  Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  2 MS Tool Box -empty  3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  1 RRP Tanks  ETP  1 Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition			_
4 Air receiver Tank - 2000 Ltrs  Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328-  Missing compressor parts only MS frame are available  40 Feet Container  Water Treatment Plant  Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty  MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  RRP Tanks  ETP  Primary Clarifier Tank & agitator without motor  Filter Press missing parts condition	2	Screw Compressor -Missing compressor parts only MS frame are available	2
Screw Compressor - Pressure - 25 bar, Sr No.121327, 121326, 121328- Missing compressor parts only MS frame are available  40 Feet Container  2 Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  2 MS Tool Box -empty  3 MS Tank with Agitator  1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  4 MS, MCC Panel (Damaged Condition)  5 RRP Tanks  2 ETP  1 Primary Clarifier Tank & agitator without motor  1 Filter Press missing parts condition		Air Dryer - 448 CFM-Missing dryer parts only MS frame are available	1
5 Missing compressor parts only MS frame are available 6 40 Feet Container 2 Water Treatment Plant 1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 1 MS Tool Box -empty 1 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 1 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 2 Filter Press missing parts condition 1	4		2
6 40 Feet Container  Water Treatment Plant  1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  2 MS Tool Box -empty  3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  4 MS, MCC Panel (Damaged Condition)  5 RRP Tanks  2 ETP  1 Primary Clarifier Tank & agitator without motor  2 Filter Press missing parts condition  1		1	
Water Treatment Plant  Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor  MS Tool Box -empty  MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  RRP Tanks  ETP  Primary Clarifier Tank & agitator without motor  Filter Press missing parts condition  1			
1 Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor 2 MS Tool Box -empty 3 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 5 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 2 Filter Press missing parts condition 1	6		2
2 MS Tool Box -empty 1 3 MS Tank with Agitator 1 RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank 4 MS, MCC Panel (Damaged Condition) 1 5 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 1 2 Filter Press missing parts condition 1			
3 MS Tank with Agitator  RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  MS, MCC Panel (Damaged Condition)  RRP Tanks  ETP  Primary Clarifier Tank & agitator without motor  Filter Press missing parts condition  1	1	Fire Hydrant Pump - 120x100, 100 m3/Hr, 13 M Head without motor	1
RO Plant - missing High pressure Pump, membrane - 3 Nos, DM water Tank  4 MS, MCC Panel (Damaged Condition) 1  5 RRP Tanks 2  ETP  1 Primary Clarifier Tank & agitator without motor 1  2 Filter Press missing parts condition 1			
4 MS, MCC Panel (Damaged Condition)  5 RRP Tanks  2  ETP  1 Primary Clarifier Tank & agitator without motor  2 Filter Press missing parts condition  1	3	MS Tank with Agitator	1
5 RRP Tanks 2 ETP 1 Primary Clarifier Tank & agitator without motor 1 2 Filter Press missing parts condition 1			
ETP  1 Primary Clarifier Tank & agitator without motor 1 2 Filter Press missing parts condition 1			
1 Primary Clarifier Tank & agitator without motor 1 2 Filter Press missing parts condition 1	5	RRP Tanks	2
2 Filter Press missing parts condition 1		ETP	
	1	Primary Clarifier Tank & agitator without motor	1
2 Shadaa Watan Tanka mama with and matan	2	Filter Press missing parts condition	1
5   Studge water rank - pump without motor   1	3	Sludge Water Tank - pump without motor	1

4	MS Flash Mixer Tank	1
5	Collection Tank - Agitator without motor	1
	ELECTRICAL INSTALLATION	
	Two pole Structure with VCB (Megawin) - 800A/25KVA, 33000 Volts, Sr	
1	No.140998/11289 - without internal parts only frame is available	1
2	Generator Acoustic frame (cabin) only available	2
	Transformer - 2500 KVA, Sr No.22302/1, 22302/2 - without coil, missing	
3	parts, dismantle condition	2
4	VCB - 22 KA, without internal parts only frame is available	1
	SSB - 2 Panel, RTCC Panel, Capacitor panel, MCC Panel I, II, III, IV, MLSB	
	Panel, Capacitor panel, M.V.Panel Board, VFD Drive panels - SWITCHES,	
5	CONNECTIONS, CABLES, WIRES, FLATS ARE NOT AVAILABLE	1
	Items near Front Gate	
1	Aluminium Stand - 3'x4'x7'	1
2	Weigh Bridge - 60 Ton, rusted condition, without display & connection	1
	Items Near Raw Material Conveyor pulp area	
1	Air Receiver Tank - 2000 Ltrs	1
2	Air Receiver Tank - 1000 Ltrs	1
3	Lathe Machine bed only	1
4	Wedge Screen filter in wooden box	1
5	Frame bed with hydraulic pac-blue painted	1
6	Filter tank unit -blue painted	1
7	MS Box bin big	2

The buildings/sheds located in the factory are not part of the plant and machinery.