Date: 29.07.2025

Corrigendum – 1 RFP No. TB(S&SP)/RFP/JVC/2025-26/001 dated 19/07/2025 RFP for procurement, Installation, Commissioning and Maintenance of Internet Banking Kiosk and Account Opening Tab.

Sr No	RFP Pg No	RFP Clause No.	RFP Clause Name	RFP Existing Clause			RFP	RFP Revised Clause					
1	60	Appendix	Specification	Description and Specification of Internet Banking Kiosk				Description and Specification of Internet Banking Kiosk					
		Е	/Description of Deliverables		Dogorintio		SIN	Descriptio	Specification				
			Denverables	SN	Descriptio n	Specification		n Monitor	21" Touch Monitor				
				1	Monitor	21" Touch Monitor	PC	i7, 8 GB RAM, 512 GB SSD or higher					
				2	PC	i7, 8 GB RAM, 512 GB SSD or higher	3	OS	Windows 11 professional				
			3 OS Windows 11 professional	Windows 11 professional		Keyboard	Metallic Keyboard with braille features to						
					Keyboard	Metallic Keyboard with braille features	4		comply with accessibility standard on				
				,		to comply with accessibility standard			information communication and technology				
				4		on information communication and technology as notified by GoI from time	5	Comoro	as notified by GoI from time to time 5MP Web Camera (front)				
						to time		Camera Stand with	Metallic stand with Long lasting Vinyl Stickers				
				5	Camera	5MP Web Camera (front)	6	Bank's	Protection Starta with Long tasting viriye stickers				
				6	Biometric	Fingerprint Reader (Single Finger)		Branding					
		Signature		7	Scanner	Document Scanner							
			Digital Signature Pad Available										
					Stand with	Metallic stand with Long lasting Vinyl							
				9	Bank's	Stickers							
					Branding								

2	60	Appendix E	Specification /Description of	Description and Specification of Account Opening Tab				Description and Specification of Account Opening Tab					
		E	Deliverables	Sr No	Description S ₁	Specification			Sr No	Description	Specifica	Specification	
			Deliverables	1	1 Screen Size 11" inch			1			1" inch (Touch Screen)		
2	61	Appendix F	Indicative Price Bid	Name of the Bidder: Location – As provided in Scope of Work				Name of the Bidder: Location – As provided in Scope of Work					
				Sr. Item No.		Qua Rate ntity per		Amount in Rs.	1 1	Item	Qua ntity	Rate per item	Amount in Rs.
				1	INTERNET BANKING KISOK with	12	item			INTERNET BANKING KISOK with 1year comprehensive warranty.	12		
				2	1year comprehensive warranty. ACCOUNT OPENING TAB with	12			2	ACCOUNT OPENING TAB with 1year comprehensive warranty			
					1year comprehensive warranty				3	Installation/ Commissioning			
				4	Installation/ Commissioning Comprehensive annual maintenance for Products mentioned above for 3 years, after the end of comprehensive warranty. (This cost should be maximum up-to 12 % p.a. of the Product cost.) Total (1+2+4)	24			4	Comprehensive annual maintenance for Products mentioned above for 3 years, after the end of comprehensive warranty. (This cost should be maximum up-to 12 % p.a. of the Product cost.) Total (1+2+3+4)	24		
	71	Appendix L	Other Terms and Penalties 4 (C)	The maximum response time for a maintenance complaint from the site of installation (i.e. time required for Vendor's maintenance engineers to report to the installations after a request call / fax /e-mail is made or letter is written) shall not exceed 4 hours.				·					

4	71	Appendix L	Other Terms and Penalties 4 (D)	Vendor shall ensure that faults and failures intimated by the Bank as above are set right within 8 hours of being informed of the same. In any case the Equipment should be made workable and available not later than the next working day of the Bank.	Vendor shall ensure that faults and failures intimated by the Bank as above are set right within 24 hours of being informed of the same. In any case the Equipment should be made workable and available not later than T+3 days of the Bank. Beyond this, a penalty of Rs. 5000/- per day will be imposed.
5	27	29	WARRANTY AND ANNUAL MAINTENANCE CONTRACT	Not Mentioned	Addition Exclusions permitted for free replacement of machines, subject to fulfilment of below mentioned clauses and acceptance by Bank's Insurance Company- For the machines destroyed / beyond repair due to: a) Natural calamities (like flood, earthquake, fire, tsunami etc.), b) machine uprooting (and uprooted machine stolen away), c) any vandalism case which requires machine replacement and the same is also confirmed by the Insurance Surveyor and acceptable to the Insurance Company for Insurance Claim.
6	55 and 56	Appendix -C	Technical & Functional Specifications	6- Min / Max operating temperature: -5° / +70° C (23° / 158° F)	6- Min / Max operating temperature: -5° / +55° C (23° / 131° F)
7	56 and 57	Appendix -C	Technical & Functional Specifications	11- Power / Battery Backup available 12- Power / Battery Backup time (hrs) : 6-10 hrs	UPS not required.